



LEARN MORE AT
energystar.gov

ENERGY STAR[®] Statement of Energy Performance

100

ENERGY STAR[®]
Score¹

Maddy's Test Property

Primary Property Type: Office
Gross Floor Area (ft²): 100,000
Built: 2000

For Year Ending: December 31, 2000
Date Generated: June 12, 2023

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Property & Contact Information

Property Address

Maddy's Test Property
2233 Glenallan Avenue
Silver Spring, Maryland 20906

Property Owner

,
(____)____-____

Primary Contact

,
(____)____-____

Property ID: 22459520

Energy Consumption and Energy Use Intensity (EUI)

Site EUI

6 kBtu/ft²

Annual Energy by Fuel

Natural Gas (kBtu) 583,300 (97%)
Electric - Grid (kBtu) 19,752 (3%)

National Median Comparison

National Median Site EUI (kBtu/ft²) 167.6
National Median Source EUI (kBtu/ft²) 185.6
% Diff from National Median Source EUI -96%

Source EUI

6.7 kBtu/ft²

Annual Emissions

Total (Location-Based) GHG Emissions 34
(Metric Tons CO₂e/year)

Signature & Stamp of Verifying Professional

I _____ (Name) verify that the above information is true and correct to the best of my knowledge.

LP Signature: _____ Date: _____

Licensed Professional

,
(____)____-____



**Professional Engineer or Registered
Architect Stamp
(if applicable)**