|  | NFONAT   | AL INFECTION EXPANDED TRACKING FORM  |  |  |
|--|--|--|--|--|
| Infant's Name:   | (Last, First, M.I.)  | Infant's Chart No.:  |  |  |
| Mother's Name:   | (Last, First, M.I.)  | Mother's Chart No.:  |  |  |
| Hospital Name:   |  | Culture date:  |  |  |
| * HILIYAM SO CHORINGER   | ACTIVE BACTERIAL CORE SURVEILLANCE (ABCs) NEONATAL INFECTION EXPANDED TRACKING FORM  SAFER-HEALTHIER-PEOPLE* OMB No. 0920-0802 |  |  |  |
| STATEID HOSPITAL ID (of birth; if home birth leave blank)                      |  |  |  |  |
| Infant Information Were labor & delivery records available? ☐ Yes (1) ☐ No (0) |  |  |  |  |
| Date of Birth: month   | ///  | 2. Did this birth occur outside of the hospital?  ☐ Yes (1) ☐ No (0) ☐ Unknown (9) |  |  |

Unknown (9)

3. Gestational age of infant at birth in completed weeks:

5. Date & time of newborn discharge from hospital of birth:

☐ Survived (1)

9. Infant discharge diagnosis (for GBS cases only): ICD9-1 \_\_\_\_ ICD9-2

Unknown (1)

☐ Died (2)

IF YES, date & time of readmission: \_\_\_\_\_ /\_\_\_ /\_\_\_ day / year (4 digits)

AND date & time admission: \_\_\_\_ /\_\_ /\_\_ year (4 digits)

IF YES, did the baby receive breast milk before onset of GBS

infection (e.g., date of first positive neonatal culture):

8. Was the infant admitted to a different hospital from home? (for GBS cases only):

10. Did the baby receive breast milk from the mother? (for late-onset GBS cases only): Yes (1)

☐ En route to hospital (3) ☐ Other (4)

**IF YES**, please check one: ☐ Home Birth (1)

year (4 digits)

4. Birth weight: \_\_\_ lbs \_\_\_oz OR \_\_ \_ \_ grams

☐ Yes (1) ☐ No (0)

□ No (0)

 $\square$  Yes (1)  $\square$  No (0)  $\square$  Unknown (9)

Unknown (1)

ICD9-3

☐ Birthing Center (2)

Unknown (1)

Unknown (9)

Unknown (9)

Unknown (1)

Time of birth:

6. Outcome:

\_\_\_ (do not round up)

IF YES, hospital ID:

| Maternal Information   |  |  |  |  |  |  |
|--|--|--|--|--|--|--|
| 11. Maternal admission date & time: / / Unknown (1)                              |  |  |  |  |  |  |
| 12. Maternal age at delivery (years): years                                      |  |  |  |  |  |  |
| 14. Did mother have a prior history of penicillin allergy?                       | ☐ Yes (1) ☐ No (0)                     |  |  |  |  |  |
| IF YES, was a previous maternal history of anaphylaxis noted? ☐ Yes (1) ☐ No (0) |  |  |  |  |  |  |
| 15. Date & time membrane rupture: / / / month day year (4                        | digits) Unknown (1)                    |  |  |  |  |  |
| 16. Was duration of membrane rupture ≥18 hours?                                  | ☐ Yes (1) ☐ No (0) ☐ Unknown (9)       |  |  |  |  |  |
| 17. If membranes ruptured at <37 weeks, did membrane before onset of labor?      | es rupture  Yes (1) No (0) Unknown (9) |  |  |  |  |  |

Public reporting burden of this collection of information is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, CDC/ATSDR Reports Clearance Officer, 1600 Clifton Road, MS D-74, Atlanta, GA 30333, ATTN: PRA (0920-0802). Do not send the completed form to this address.

12/2009 Page 1 of 3

| 18. | Type of rupture: ☐ Spontaneous (1) ☐ Artificial (2)  |  |  |  |  |  |
|-----|--|--|--|--|--|--|
| 19. | Type of delivery: (Check all that apply)   |  |  |  |  |  |
|     | ☐ Vaginal (1) ☐ Vaginal after previous C-section (1) ☐ Primary C-section (1) ☐ Repeat C-section (1)                                      |  |  |  |  |  |
|     | ☐ Forceps (1) ☐ Vacuum (1) ☐ Unknown (1)   |  |  |  |  |  |
|     | If delivery was by C-section: Did labor or contractions begin before C-section? $\square$ Yes (1) $\square$ No (0) $\square$ Unknown (9) |  |  |  |  |  |
|     | Did membrane rupture happen before C-section? ☐ Yes (1) ☐ No (0) ☐ Unknown (9)   |  |  |  |  |  |
| 20. | Intrapartum fever (T ≥ 100.4 F or 38.0 C): ☐ Yes (1) ☐ No (0) ☐ Unknown (1)  |  |  |  |  |  |
|     | IF YES, 1 <sup>st</sup> recorded T ≥ 100.4 F or 38.0 C at: / / /   |  |  |  |  |  |
| 21. | Were antibiotics given to the mother intrapartum? ☐ Yes (1) ☐ No (0) ☐ Unknown (9)   |  |  |  |  |  |
|     | IF YES, answer a-b and Questions 22-23   |  |  |  |  |  |
|     | a) Date & time antibiotics 1st administered: (before delivery) / / / Unknown (9) / / /   |  |  |  |  |  |
|     | b) Antibiotic 1:   |  |  |  |  |  |
|     | Start date: / / Stop date (if applicable): / / / /   |  |  |  |  |  |
|     | Start date/ Stop date (ii applicable)//  |  |  |  |  |  |
|     | Antibiotic 2:  |  |  |  |  |  |
|     | Start date: / / Stop date (if applicable): / / /   |  |  |  |  |  |
|     |  |  |  |  |  |  |
|     | Antibiotic 3:  |  |  |  |  |  |
|     | Start date: / / Stop date (if applicable): / /   |  |  |  |  |  |
|     |  |  |  |  |  |  |
|     | Antibiotic 4:  |  |  |  |  |  |
|     | Start date: / / Stop date (if applicable): / /   |  |  |  |  |  |
|     |  |  |  |  |  |  |
|     | Antibiotic 5:  |  |  |  |  |  |
|     | Start date:/ Stop date (if applicable)://  |  |  |  |  |  |
|     |  |  |  |  |  |  |
|     | Antibiotic 6:  |  |  |  |  |  |
|     | Start date:/ Stop date (if applicable)://  |  |  |  |  |  |
|     |  |  |  |  |  |  |
| 22. | Interval between receipt of 1st antibiotic and delivery: (hours) (minutes)   |  |  |  |  |  |
| 23. | What was the reason for administration of intrapartum antibiotics? (Check all that apply)  |  |  |  |  |  |
|     | ☐ GBS prophylaxis (1) ☐ C-section prophylaxis (1) ☐ Mitral valve prolapse prophylaxis (1)  |  |  |  |  |  |
|     | ☐ Suspected amnionitis (1) ☐ Other (1) ☐ Unknown (1)   |  |  |  |  |  |
|     | ***Questions 24–32 should only be completed for early- and late-onset GBS cases***   |  |  |  |  |  |

| 24.   | Did mother receive prenatal ca   | ☐ Yes (1) ☐ No (0) ☐ Unknown (9)                                  |   |  |  |  |
|---|--|---|---|--|--|--|
| 25.   | Was prenatal record (even partial information) in labor and delivery chart? ☐ Yes (1) ☐ No (0) ☐ Unknown (9)   |   |   |  |  |  |
|   | IF YES: No. of visits: F   | irst visit: / / Last visit:                                       | //  |  |  |  |
| 26.   | Estimated gestational age (EG  | A) at last documented prenatal visit:                             | (weeks)                                       |  |  |  |
| 27.   | 27. GBS bacteriuria during this pregnancy? ☐ Yes (1) ☐ No (0)  IF YES, what order of magnitude was the colony count? ☐ 0 (1) ☐ <10,000 (2) ☐ 10k-<25,000 (3) ☐ 25k-<50,000 (4) ☐ 50k-<75,000 (5) ☐ 75k-<100,000 (6) ☐ ≥100,0000 (7) ☐ Unknown (9)  |   |   |  |  |  |
| 28.   | 28. Previous infant with invasive GBS disease?   |   |   |  |  |  |
| 29.   | Previous pregnancy with GBS  | colonization?   |   |  |  |  |
| 30a. Was maternal group B strep colonization screened for BEFORE admission (in prenatal care)? ☐ Yes (1) ☐ No (0) ☐ Unknown (9)   |  |   |   |  |  |  |
|   | IF YES, list dates, test type,   | and test results below.   | Docitive culture                              |  |  |  |
|   | Test date (list most recent first):  | <u>Test type:</u>   | Positive culture (Do not include urine here!) |  |  |  |
|   | 1//  | Culture (1) Rapid PCR (2) Rapid antigen (3) Other (4) Unknown (9) | 3) Yes (1) No (0) Unknown (9)                 |  |  |  |
|   | 2//  | Culture (1) Rapid PCR (2) Rapid antigen (3                        | 3) Yes (1) No (0) Unknown (9)                 |  |  |  |
| 30b. If the <i>most recent</i> test was GBS positive was antimicrobial susceptibility performed BEFORE admission (in prenatal care)?  ☐ Yes (1) ☐ No (0) ☐ Unknown (9)  IF YES, Was the isolate resistant to clindamycin? ☐ Yes (1) ☐ No (0) ☐ Unknown (9)  Was the isolate resistant to erythromycin? ☐ Yes (1) ☐ No (0) ☐ Unknown (9) |  |   |   |  |  |  |
| 31a. Was maternal group B strep colonization screened for AFTER admission (before delivery)? Yes (1) No (0) Unknown (9) IF YES, list date of <i>most recent</i> test, test type and test results below:   |  |   |   |  |  |  |
|   | Test date (list most recent first):  | <u>Test type:</u>   | Positive culture (Do not include urine here!) |  |  |  |
|   | //   | Culture (1) Rapid PCR (2) Rapid antigen (3 Other (4) Unknown (9)  | Yes (1) No (0) Unknown (9)                    |  |  |  |
| 31b   | 31b. If the <i>most recent</i> test was GBS positive, was antimicrobial susceptibility performed AFTER admission?  ☐ Yes (1) ☐ No (0) ☐ Unknown (9)  IF YES, Was the isolate resistant to clindamycin? ☐ Yes (1) ☐ No (0) ☐ Unknown (9)  Was the isolate resistant to erythromycin? ☐ Yes (1) ☐ No (0) ☐ Unknown (9) |   |   |  |  |  |
| 32.   | 32. Were GBS test results available to care givers at the time of delivery? ☐ Yes (1) ☐ No (0) ☐ Unknown (9)   |   |   |  |  |  |
| COMMENTS:   |  |   |   |  |  |  |