OMB Control No. 2060-0328 Expires 07/31/2011

Annual Report 2010



Production Sector

	Company Name:
	Contact:
	Title:
	Address:
City	, State, Zip Code:
	Telephone:
	Fax:
	E-mail:

Company Information

BMP 1: Identify and replace high-bleed pneumatic devices
BMP 2: Install flash tank separators on glycol dehydrators

Partner Reported Opportunities (please specify):

Annual Report Summary

Period covered by report: From: _____ To: ____

Partner Signature Required:

I hereby certify the accuracy of the data contained in this report.

Date

- Because the implementation of some technologies reduces emissions for multiple years, Natural Gas STAR allows certain activities to count towards a company's emission reductions beyond the initial year of implementation. Natural Gas STAR designates the maximum length of time that these reductions may accrue as "sunset dates." The Appendix lists these sunset dates. Companies can report the corresponding methane emission reductions each year up to the allowable sunset date. Or, companies may wish to report reductions only once for the implementation year, and have EPA automatically apply the sunset date and count those emissions for the allowable number of years.
- In addition to reporting methane emissions reductions, you are welcome to include other information about your company's participation in Natural Gas STAR in the "Additional Program Accomplishments" section of this form. The Natural Gas STAR Program will use any information entered in this section to recognize the efforts and accomplishments of outstanding partners.



OMB Control No. 2060-0328 Expires 07/31/2011

BMP 1: Identify and Replace High-Bleed Pneumatic Devices

Current Year Activities					
A. Facility/loca	tion identifier informa	ition:			
B. Facility summary: Number of devices replaced: devices Percent of system now equipped with low/no-bleed units: %		C. Cost summary: Estimated cost per replacement (including equipment and labor): \$ /replacement			
D. Methane emissions reduction: Mcf			E. Are these emissions reductions a one-year reduction or a multi-year reduction? One-year Multi-year If Multi-year: Partner will report this activity once and let EPA automatically calculate future emission reductions based on sunset date duration (BMP 1 has a sunset period of 7 years).		
			Partner will report this activity annually up to allowed sunset date. **stimate, using the space provided to show any calculations**		
		missions reauction e		-	w any calculations
Standard cal	culation		Calculation using default		
Methane emissions reduction = [Annual emissions from high-bleed devices being replaced (in Mcf/yr) - Annual emissions for the replacement devices (in Mcf/yr)] x Number of devices replaced		Methane emissions reduction = 124 Mcf/yr x Number of devices replaced Other (please specify):			
Please sp	ecify your data source:				
	neasurement				
	acturer specifications		I		
F. Total value of gas saved: \$ Total value of gas saved = Methane emissions reduction (in Mcf) x Gas value (in \$/Mcf) [If not known, use default of \$7.00/Mcf]			G. How many high-bleed devices do you plan to replace next year? devices		
		Previous Y	ears' Activ	ities	
Use the table	below to report any pa	ast activities implemente	ed, but <u>not previ</u> e	ously reported to the Natural	Gas STAR Program
Year #	Devices Replaced	Total Cost of Rep (incl. equipment a		Estimated Reductions (Mcf/yr)	Value of Gas Saved (\$)

BMP 1 Comments: Please use the back of the page for additional space if needed.



OMB Control No. 2060-0328 Expires 07/31/2011

BMP 2: Install Flash Tank Separators on Glycol Dehydrators

Current Year Activities						
A. Facility/	location identifier inform	ation:				
B. Facility summary: Number of flash tank separators installed: separators Percent of dehydrators in system equipped with flash tank separators: %			C. Cost summary: Estimated cost per flash tank separator installation (including equipment and labor): \$ /installation			
	e emissions reduction: —		E. Are these emissions reductions a one-year reduction or a multi-year reduction? One-year Multi-year If Multi-year: Partner will report this activity once and let EPA automatically calculate future emission reductions based on sunset date duration (BMP 2 has a sunset period of 10 years). Partner will report this activity annually up to allowed sunset date. estimate, using the space provided to show any calculations			
	d calculation	emissions reduction e	Calculation		any calculations	
Methane emissions reduction per flash tank installation = [TEG circulation rate (in gal/hr) x Methane entrainment rate (in scf/gal)* x hours of operation (in hrs/yr) x 0.90] / 1,000			Methane emissions reduction = [Average gas throughput (in MMcf/yr) x 170 scf/MMcf x 0.90] / 1,000			
not kno of 3 sc exchar for elec Pleas O Fie	thane entrainment rate is bown, use a default value figal for energy age pumps or 1 scf/gal entric pumps The specify your data source eld measurement anufacturer specifications	:	Other (please specify):			
F. Total value of gas saved: \$			G. How many flash tank separators do you plan to install next year? flash tank separators			
Total value of gas saved= Methane emissions reduction (in Mcf) x Gas value (in \$/Mcf) [If not known, use default of \$7.00/Mcf]						
,	Previous Years' Activities					
Use the table below to report any past activities implemented, but <u>not previously reported</u> to the Natural Gas STAR Program						
Year	# Flash Tank Separators Installed	Total Cost of Institute (incl. equipment at		Estimated Reductions (Mcf/yr)	Value of Gas Saved (\$)	

BMP 2 Comments: Please use the back of the page for additional space if needed.



OMB Control No. 2060-0328 Expires 07/31/2011

Partner Reported Opportunities (PROs)

For more details on PROs, visit epa.gov/gasstar/tools/recommended.html

Current Year Activities					
A. Facility/location identifier information	ation:				
B. Activity description: Please provide a separate PRO reporting form for <u>each</u> activity reported. If reporting a DI&M activity, please use a separate page for each location/facility surveyed.					
Please specify the technology or pract (choose from the list in the appendix o	•	Please des activity:	scribe how your company impl	emented this	
C. Level of Implementation (check on Number of units installed: Frequency of practice:	installed: units multi-year reduction?			Multi-year e and let EPA on reductions based	
E. Methane emissions reduction: _	F. Cost summary: Estimated cost of implementing this practice/activity (including equipment and labor): \$				
Please identify the basis for the	emissions reduction estin	nate, using	the space provided to show	any calculations	
Actual field measurement			Other (please specify):		
☐ Calculation using manufacturer spe	ecifications/other source				
G. Total value of gas saved: \$ Total value of gas saved = Methane emissa x Gas value (in \$/Mcf) [If not known, use defined by the content of the conte	H. To what extent do you expect to implement this practice next year?				
Previous Years' Activities					
Use the table below to report an	y past implementation of th	is PRO, but	not previously reported to Nati	ural Gas STAR	
Year Frequency of Practice/Activity or # of Installations	Total Cost of Practice (incl. equipment and la		Estimated Reductions (Mcf/yr)	Value of Gas Saved (\$)	

PRO Comments: Please use the back of the page for additional space if needed.

^{*}Because the implementation of some technologies reduces emissions for multiple years, Natural Gas STAR allows certain activities to count towards a company's emission reductions beyond the initial year of implementation. Natural Gas STAR designates the maximum length of time that these reductions may accrue as "sunset dates." The Appendix lists these sunset dates. Companies can report the corresponding methane emission reductions each year up to the allowable sunset date. Or, companies may wish to report reductions only once for the implementation year, and have EPA automatically apply the sunset date and count those emissions for the allowable number of years.



OMB Control No. 2060-0328 Expires 07/31/2011

Additional Program Accomplishments

The Natural Gas STAR Program will use any information entered here to recognize the efforts and achievements of outstanding partners.

Please include any additional information you would like to share about your company's participation in Natural Gas STAR. Examples may include:

- Activities to strengthen your program (e.g., training/education, innovative technologies or activities, pilot projects, employee incentive programs).
- Efforts to communicate your participation and successes (e.g., internal newsletters, press releases, company website).
- Participation in Natural Gas STAR program activities (e.g., contributions to case studies, presentation at annual workshop).

Additional Accomplishments:



OMB Control No. 2060-0328 Expires 07/31/2011

Appendix

Methane Emission Reduction Technologies & Practices— Production Sector

The list below describes a variety of methane emission reduction technologies that Natural Gas STAR partners in the production sector have implemented and reported to Natural Gas STAR. You may use this list as a guide when completing your annual report.

Sunset dates (i.e., the length of time a technology or practice can continue to accrue emission reductions after implemented) are one year in duration unless otherwise noted in parentheses. An asterisk (*) indicates that a technical document related to the technology or practice is available online at epa.gov/gasstar/tools/recommended.html.

Compressors/Engines

- Automate compressor systems operation to reduce venting*
- Catalytic converter installation (10 years)
- Convert engine starting to nitrogen and/or CO₂ rich gas (10 years)*
- Convert to low pressure compressor starters (10 years)
- Eliminate unnecessary equipment and/or systems*
- Increase compression capacity to reduce venting/flaring
- Install automated air/fuel ratio control systems (10 years)*
- Install electric compressors (10 years)*
- Install electric motors (10 years)
- Install electric starters (10 years)*
- Install lean burn compressor (10 years)
- Lower compressor purge pressure for shutdown*
- Perform gas recovery using slipstream (10 years)
- Redesign blowdown/alter ESD practices*
- Reduce emissions when taking compressors offline*
- Replace compressor rod packing systems*
- Replace gas starters with air (10 years)*
- Replace ignition/reduce false starts*
- Turbine fuel use optimization

Dehydrators

- Install condensers on glycol dehydrators (10 years)
- Install/convert gas-driven chemical pumps to electric, mechanical, or solar pumps (10 years)*
- Install desiccant dehydrator (10 years)*
- Reduce glycol circulation rates in dehydrators*
- Reroute dehy./tank vents to flare or station suction (10 years)*
- Reroute glycol skimmer gas*
- Shutdown glycol dehydrator stripping gas in winter
- Use rich glycol in glycol pumps

Directed Inspection and Maintenance

- DI&M at compressor stations*
- DI&M: leak detection using IR camera/optical imaging
- DI&M: leak detection using lower emission threshold
- DI&M: survey and repair leaks

Pipelines

- Inject blowdown gas into low pressure system*
- Pipeline replacement and repair
- Use fixed/portable compressors for pipeline pumpdown*
- Use hot taps for in-service pipeline connections*

Pneumatics/Controls

- Capture/use gas released from gas-operated pneumatic pumps
- Convert gas-driven chemical pumps to instrument air (10 years)*
- Convert gas pneumatic controls to instrument air (10 years)*
- Convert pneumatic devices to mechanical/electronic (10 years)*
- Install/convert gas powered separators to solar separators (10 years)
- Install controllers on gas-assisted methanol pump (10 years)
- Install no bleed controllers (10 years)
- Install non-venting dump controllers (10 years)
- Reduce gas pressure on pneumatic devices
- Reduce venting from unlit pilot: install electronic safety devices (10 years)*
- Replace bi-directional orifice meter with ultrasonic meters*
- Replace chemical pumps with electronic flow controllers (10 years)
- Use add-on controls to reduce emissions from pneumatics (10 years)

Tanks

- Change out vent pallet (10 years)
- Consolidate crude oil production and water storage tanks (10 years)*
- Convert water tank blanket from natural gas to CO₂ (10 years)*
- Install evactors (10 years)
- Install flash gas compressors (10 years)
- Install hydrocarbon liquid stabilizer (10 years)
- Install pressurized storage of condensate (10 years)*
- Install vapor recovery units (VRUs) (10 years)*
- Install vapor recovery units on pipeline liquid/condensate tanks (10 years)*

Appendix (continued)

Tanks

- Recycle line recover gas during condensate loading*
- Reduce excess blanket gas blow-by to the atmosphere
- Replace leaking aboveground tanks (10 years)
- Route gas to compressor suction/blowcase vessel (10 years)
- Use protective tank coatings to reduce leaks (10 years)

Valves

- Heat tracing to prevent control valves from freezing open
- Install plugs on valves and open ended lines (10 years)
- Reduce venting from unlit pilot: install BASO valves (10 years)*
- Test and repair pressure safety valves*

Wells

- Artificial lift: gas lift (10 years)
- Artificial lift: install plunger lifts (10 years)*
- Artificial lift: install pumpjacks or rod pumps on gas wells (10 years)*
- Artificial lift: install smart lift automated systems on gas wells (10 years)*
- Artificial lift: install velocity tubing strings (10 years)*
- Artificial lift: pressure swabbing
- Artificial lift: use capillary strings (10 years)
- Artificial lift: use compression (10 years)
- Artificial lift: use pumping unit (10 years)
- Artificial lift: use to reduce blowdown in gas wells (10 years)*

- Install automated shut-in cycle units to reduce well venting (10 years)
- Install flash tank separator on water gathering system (10 years)
- Install pumps for separators (10 years)
- Install snubbing unit at wellhead
- Install soap launcher/soap unit (10 years)
- Lower heater-treater temperature*
- Optimize gas well unloading times*
- Perform reduced emissions completions*
- Route casinghead gas to VRU or compressor (10 years)*
- Use foaming agents to reduce blowdown frequency*

Other

- Capture and use waste heat to reduce gas usage and emissions
- Convert natural gas fired generator to solar power (10 years)
- Flare reduction program
- Improve system design/operation
- Install flares (10 years)*
- Install purge reducer on flare (10 years)
- Install pilotless burner controls (10 years)
- Optimize nitrogen rejection unit to reduce methane in N₂ reject stream*
- Recover gas from separators
- Re-inject gas for enhanced oil recovery
- Re-inject gas into crude
- Replace aged heaters with new efficient gas fired heaters (10 years)

Mailing Information:

Standard Mail:

The Natural Gas STAR Program U.S. EPA (6207J) 1200 Pennsylvania Ave, NW Washington, DC 20460 U.S.A.

Express/Overnight Mail:

The Natural Gas STAR Program U.S. EPA (6207J) 1310 L Street, NW Washington, DC 20005 U.S.A.

The public reporting and recordkeeping burden for this collection of information is estimated to average 60 hours for each new response and 27 hours for subsequent responses. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address