U.S. DEPARTMENT OF HOMELAND SECURITY U.S. COAST GUARD CG-2692A (Rev. 06-04)

BARGE ADDENDUM

NOTE: This form may be used to report data for barges causing or sustaining damage in the accident described on form CG-2692. This form may only be used in addition to form CG-2692, never alone.										
NAME OF VESSEL (U	NAME OF VESSEL (Use Same Name as Block 1., of CG-2692).									
	FOR BARGE CAUSING OR SUSTAINING DAMAGES									
		26e. USCG Certificate of								
26. Name			26a. Official Numb	er	26b. Type 26c. Length 26d. Gross Tons Inspection Issu			Inspection Issued at:		
26f. Year Built	26g. 🗌	SINGLE SKIN	26h. Draft FWD	AFT	26i. Operating Company				<u> </u>	
		DOUBLE SKIN								
26j. Damage Amount				26k. Describe Dan	nage to Barge					
DAMAGE TO I	BARGE									
CARGO										

		FOR B	ARGE CAUSING	G OR SUSTAINI	NG DAMAGES			26e. USCG Certificate of Inspection Issued at:
26. Name 26a. Official Num			er	26b. Type	26c. Length	26d. Gross Tons	inspection issued at.	
26f. Year Built 26g. SINGLE SKIN 26h. Draft			AFT	26i. Operating Company				
		DOUBLE SKIN						
		DOUBLE SKIN						
26j. Damage Amount				26k. Describe Dan	nage to Barge			
DAMAGE TO	BARGE							
CARGO			_					

		FOR B	ARGE CAUSING	GOR SUSTAINI	NG DAMAGES			26e. USCG Certificate of	
26. Name 26a. Official Num			er	26b. Type	26c. Length 26d. Gross Tons		Inspection Issued at:		
26f. Year Built	6f. Year Built 26g. SINGLE SKIN 26h. Draft 26i. Operating Co				mpany		-		
		DOUBLE SKIN							
26j. Damage Amount	•			26k. Describe Dam	age to Barge				
DAMAGE TO	BARGE		_						
CARGO									

		FOR B	ARGE CAUSING	OR SUSTAINI	NG DAMAGES			26e. USCG Certificate of	
26. Name 26a. Official N			26a. Official Numb	26a. Official Number		b. Type 26c. Length 26d. Gross Tons		Inspection Issued at:	
26f. Year Built 26g. SINGLE SKIN 26h. Draft			AFT	AFT 26i. Operating Company					
		DOUBLE SKIN							
26j. Damage Amount		DOODEL SIGIN		26k. Describe Dam	l				
201 20110307 1110011				2011 20001100 2011					
DAMAGE TO BARGE									
CARGO									

	26e. USCG Certificate of								
26. Name 26a. Official Numb			er	26b. Type	26c. Length	26d. Gross Tons	Inspection Issued at:		
26f. Year Built	26g.	26g. SINGLE SKIN 26h. Draft FWD AFT			26i. Operating Company				
		DOUBLE SKIN							
26j. Damage Amount				26k. Describe Dam	hage to Barge				
DAMAGE TO I	BARGE		_						
CARGO									
SIGNATURE (of person ma	SIGNATURE (of person making this report)								
PREVIOUS EDITION MAY	BE USED)							

		FOR B	ARGE CAUSING	G OR SUSTAINI	NG DAMAGES			26e. USCG Certificate of	
26. Name 26a. Officia			26a. Official Numb	26a. Official Number		26c. Length	26d. Gross Tons	Inspection Issued at:	
26f. Year Built 26g. SINGLE SKIN 26h. Draft FWD AFT					26i. Operating Company				
		DOUBLE SKIN							
26j. Damage Amount	-		-	26k. Describe Dan	age to Barge				
DAMAGE TO BARGE									
CARGO	5, 11 (0)		_						

		26e. USCG Certificate of Inspection Issued at:						
26. Name 26a. Official Numb			er	26b. Type	26c. Length	26d. Gross Tons	inspection issued at.	
26f. Year Built 26g. SINGLE SKIN 26h. Draft FWD			AFT	26i. Operating Company				
		DOUBLE SKIN		AFT				
26j. Damage Amount	•			26k. Describe Dam	age to Barge			
DAMAGE TO BARGE			_					
CARGO			_					

		26e. USCG Certificate of						
26. Name 26a. Offi			26a. Official Number		26b. Type	26c. Length	26d. Gross Tons	Inspection Issued at:
26f. Year Built	^{26g.}	SINGLE SKIN	26h. Draft FWD	AFT	26i. Operating Co			
		DOUBLE SKIN						
26j. Damage Amount				26k. Describe Dan	hage to Barge			
DAMAGE TO I								
	BARGE		_					
CARGO		-						

		FOR B	ARGE CAUSING	GOR SUSTAINI	NG DAMAGES			26e. USCG Certificate of	
26. Name 26a. Official Numb			er	26b. Type	26c. Length	26d. Gross Tons	Inspection Issued at:		
26f. Year Built	^{26g.}	SINGLE SKIN	26h. Draft FWD	AFT	26i. Operating Cor				
		DOUBLE SKIN							
26j. Damage Amount	ļ <u> </u>			26k. Describe Dan	age to Barge				
DAMAGE TO									
	BARGE								
CARGO									

		FOR B	ARGE CAUSING	OR SUSTAINI	NG DAMAGES			26e. USCG Certificate of	
26. Name 26a. Official 1			26a. Official Numb	26a. Official Number		26c. Length	26d. Gross Tons	Inspection Issued at:	
26f. Year Built 26g. ☐ SINGLE SKIN 26h. Draft		26h. Draft		26i. Operating Company					
		SINGLE SKIN	FWD	AFT					
		DOUBLE SKIN							
26j. Damage Amount				26k. Describe Dan	hage to Barge				
DAMAGE TO BARGE									
CARGO			_						

INSTRUCTIONS

FOR COMPLETION OF FORM CG-2692

REPORT OF MARINE ACCIDENT, INJURY OR DEATH

AND FORM CG-2692A, BARGE ADDENDUM

WHEN TO USE THIS FORM

1. This form satisfies the requirements for written reports of accidents found in the Code of Federal Regulations for vessels, Outer Continental Shelf (OCS) facilities, mobile offshore drilling units (MODUs), and diving. The kinds of accidents that must be reported are described in the following instructions.

VESSELS

2. A vessel accident must be reported if it occurs upon the navigable waters of the U.S., its territories or possessions; or whenever an accident involves a U.S. vessel; wherever the accident may occur. (Public vessels and recreational vessels are excepted from these reporting requirements.) The accident must also involve one of the following (ref. 46 CFR 4.05-1):

A. All accidental groundings and any intentional grounding which also meets any of the other reporting criteria or creates a hazard to navigation, the environment, or the safety of the vessel;

B. Loss of main propulsion or primary steering, or an associated component or control system, the loss of which causes a reduction of the maneuvering capabilities of the vessel. Loss means that systems, component parts, subsystems, or control systems do not perform the specified or required function;

C. An occurrence materially and adversely affecting the vessel's seaworthiness or fitness for service or route including but not limited to fire, flooding, failure or damage to fixed fire extinguishing systems, lifesaving equipment or bilge pumping systems;

D. Loss of life;

E. An injury that requires professional medical treatment (beyond first aid) and, if a crewmember on a commercial vessel, that renders the individual unfit to perform routine duties.

F. An occurrence not meeting any of the above criteria but resulting in damage to property in excess of \$25,000. Damage cost includes the cost of labor and material to restore the property to the condition which existed prior to the casualty, but it does not include the cost of salvage, cleaning, gas freeing, drydocking or demurrage.

MOBILE OFFSHORE DRILLING UNITS

3. MODUs are vessels and are required to report an accident that results in any of the events listed by Instruction 2-A through 2-F for vessels. (Ref. 46 CFR 4.05-1, 46 CFR 109.411)

OCS FACILITIES

4. All OCS facilities (except mobile offshore drilling units) engaged in mineral exploration, development or production activities on the Outer Continental Shelf of the U.S. are required by 33 CFR 146.30 to report accidents resulting in:

A. Death;

B. Injury to 5 or more persons in a single incident;

C. Injury causing any person to be incapacitated for more than 72 hours;

D. Damage affecting the usefullness of primary lifesaving or firefighting equipment;

E. Damage to the facility in excess of \$25,000 resulting from a collision by a vessel;

F. Damage to a floating OCS facility in excess of \$25,000.

5. Foreign vessels engaged in mineral exploration, development or production on the U. S. Outer Continental Shelf, other than vessels already required to report by Instructions 2 and 3 above, are required by 33 CFR 146.303 to report casualties that result in any of the following:

A. Death;

B. Injury to 5 or more persons in a single incident;

C. Injury causing any person to be incapacitated for more than 172 hours.

DIVING

6. Diving casualties include injury or death that occurs while using underwater breathing apparatus while diving from a vessel or OCS facility.

A. COMMERCIAL DIVING. A dive is considered commercial if it is for commercial purposes from a vessel required to have a Coast Guard certificate of inspection, from an OCS facility or in its related safety zone or in a related activity, at a deepwater port or in its safety zone. Casualties that occur during commercial dives are covered by 46 CFR 197.486 if they result in:

- Loss of life;
- 2. Injury causing incapacitation over 72 hours;
- 3. Injury requiring hospitalization over 24 hours.

In addition to the information requested on this form, also provide the name of the diving supervisor and, if applicable, a detailed report on gas embolism or decompression sickness as required by 46 CFR 197.410(a)(9).

Exempt from the commercial category are dives for:

1. Marine science research by educational institutions;

Research in diving equipment and technology;
Search and Rescue controlled by a government agency.

B. ALL OTHER DIVING. Diving accidents not covered by Instruction (6-A) but involving vessels subject to Instruction (2), VESSELS, must be reported if they result in death or injury causing incapacitation over 72 hours. (Ref. 46 CFR 4.03-1(c)).

HAZARDOUS MATERIALS

7. When an accident involves hazardous materials, public and environmental health and safety require immediate action. As soon as any person in charge of a vessel or facility has knowledge of a release or discharge of oil or a hazardous substance, that person is required to immediately notify the U. S. Department of Homeland Security's National Response Center (telephone toll-free 800-424-8802 - in the Washington, D.C. area call 202-426-2675). Anyone else knowing of a pollution incident is encouraged to use the toll-free telephone number to report it. If etiologic (disease causing) agents are involved, call the U.S. Public Health Service's Center for Disease Control in Atlanta, GA. (telephone 404-633-5313). (Ref. 42 USC 9603; 33 CFR 153; 49 CFR 171.15)

COMPLETION OF THIS FORM

8. This form should be filled out as completely and accurately as possible. Please type or print clearly. Fill in all blanks that apply to the kind of accident that has occurred. If a question is not applicable, the abbreviation "NA" should be entered in that space. If an answer is unknown and cannot be obtained, the abbreviation "UNK" should be entered in that space. If "NONE" is the correct response, then enter it in that space.

9. Once completed, deliver or mail this form as soon as possible to the Coast Guard Marine Safety, Marine Inspection or Activities Office nearest the location of the casualty or, if at sea, nearest the arrival port.

10. Amplifying information for completing the form:

A. Block 16 - "LOCATION" - Latitude and longitude to the nearest tenth of a minute should always be entered except in those rivers and waterways where a mile marker system is commonly used. In these cases, the mile number to the nearest tenth of a mile should be entered. If the latitude and longitude, or mile number, are unknown, reference to a known landmark or object (buoy, light, etc.) with distance and bearing to the object is permissible. Always identify the body of water or waterway referred to.

B. Tug or towboat with tow - Tugs or towboats with tows under their control should complete all applicable portions of the CG-2692. SECTION II should be completed if a barge causes or sustains damage or meets any other reporting criteria. If additional barges require reporting, the "Barge Addendum," CG-2692A, may be used to provide the information for the additional barges.

C. Moored/Anchored Barge - If a barge suffers a casualty while moored or anchored, or breaks away from its moorage, and causes or sustains reportable damages or meets any other reporting criteria, enter the location of its moorage in Block (1) of the CG-2692 and complete the form except for Blocks (2) through (13). The details will be entered in SECTION II for one barge and on the "Barge Addendum" CG-2692A, for additional barges.

D. SECTION III - Personnel Accident Information -SECTION III must be completed for a death or injury. In addition, applicable portions of SECTIONS I, II and IV must be completed. If more than one death or injury occurs in a single incident, complete one CG-2692 for one of the persons injured or killed, and attach additional CG-2692's, filling out Blocks (1) and (2) and SECTION III for each additional person.

E. BLOCK 44 - Describe the sequence of events which led up to this casualty. Include your opinion of the primary cause and any contributing causes of the casualty. Briefly describe damage to your vessel, its cargo, and other vessels/property. Include any recommendations you may have for preventing similar casualties. *ALCOHOL AND DRUG INFORMATION*. Provide the following information with regard to each person determined to be directly involved in the casualty: name, position aboard the vessel, whether or not the person was under the influence of alcohol or drugs at the time of the casualty, and the method used to make this determination. If toxicological testing is conducted the results should be included; if results are not available in a timely manner, provide the results of the toxicological test as soon as practical and indicate that this is the case in block 44 of the casualty form.

NOTICE: The information collected on this form is routinely available for public inspection. It is needed by the Coast Guard to carry out its responsibility to investigate marine casualties, to identify hazardous conditions or situations and to conduct statistical analysis. The information is used to determine whether new or revised safety initiatives are necessary for the protection of life or property in the marine environment.

An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a valid OMB control number.

The Coast Guard estimates that the average burden for this report is 1 hour. You may submit any comments concerning the accuracy of this burden estimate or any suggestions for reducing the burden to: Commandant (G-MOA), U.S. Coast Guard, Washington, DC 20593-0001 or Office of Management and Budget Paperwork Reduction Project (1625-0001), Washington, DC 20503