

Annual Report 2015



Transmission Sector

Company Information

Company Name: _____

Contact: _____

Title: _____

Address: _____

City, State, Zip Code: _____

Telephone: _____

Fax: _____

E-mail: _____

Annual Report Summary

- BMP 1: Directed inspection and maintenance at compressor stations
- BMP 2: Use of turbines at compressor stations
- BMP 3: Identify and replace high-bleed pneumatic devices
- Partner Reported Opportunities (*please specify*):

Period covered by report: From: _____ To: _____

Partner Signature Required:

I hereby certify the accuracy of the data contained in this report. _____

Date

■ Because the implementation of some technologies reduces emissions for multiple years, Natural Gas STAR allows certain activities to count towards a company's emission reductions beyond the initial year of implementation. Natural Gas STAR designates the maximum length of time that these reductions may accrue as "sunset dates." The Appendix lists these sunset dates. Companies can report the corresponding methane emission reductions each year up to the allowable sunset date. Or, companies may wish to report reductions only once for the implementation year, and have EPA automatically apply the sunset date and count those emissions for the allowable number of years.

■ In addition to reporting methane emissions reductions, you are welcome to include other information about your company's participation in Natural Gas STAR in the "Additional Program Accomplishments" section of this form. The Natural Gas STAR Program will use any information entered in this section to recognize the efforts and accomplishments of outstanding partners.



Transmission Sector Annual Report

OMB Control No. 2060-0328
Expires 09/30/2018

BMP 1: Directed Inspection and Maintenance at Compressor Stations

Summary of Emission Reduction Activities

Please include aggregate information in this section for all locations. If multiple facilities/locations are represented, additional detail by specific facility/location can be provided in the table below.

A. Facility/location identifier information:

(If only one location note here, otherwise use table below.) _____

B. Project summary:

Number of surveys conducted at this facility for reporting period _____ surveys Total number of leaks repaired: _____ leaks repaired

Total number of leaks found: _____ leaks found

C. Cost summary:

Total cost of surveys conducted: \$ _____ Total cost of leak repairs: \$ _____

D. Methane emissions reduction: _____ Mcf

* BMP 1 must be reported on an annual basis according to actual survey activity.

Please identify the basis for the emissions reduction estimate, using the space provided to show any calculations

- Actual field measurement Other (please specify): _____
- Calculation using default

Methane emissions reduction = Average annual leak rate for facility (12,200 Mcf) × Reduction efficiency (70%)

E. Total value of gas saved: \$ _____

Total value of gas saved = Methane emissions reduction (in Mcf) x Gas value (in \$/Mcf) [If not known, use default of \$3.50/Mcf]

F. Do you plan to survey this facility/location next year? _____

(Yes/No)

Optional: Additional details by location

Facility/Location identifier Information	Total Cost of Surveys (\$)	Total Cost of Repairs (\$)	Estimated Reductions (Mcf/yr)	Value of Gas Saved (\$)

BMP 1 Comments: Please use the back of the page for additional space if needed.



Transmission Sector Annual Report

OMB Control No. 2060-0328
Expires 09/30/2018

BMP 2: Use of Turbines at Compressor Stations

Summary of Emission Reduction Activities

Please include aggregate information in this section for all locations. If multiple facilities/locations are represented, additional detail by specific facility/location can be provided in the table below.

A. Facility/location identifier information:

(If only one location note here, otherwise use table below.) _____

B. Turbine summary:

Number of turbines installed: _____ turbines

Total cost of turbine installations (equipment and labor): \$ _____

C. Reciprocating summary:

Number of reciprocating engines retired: _____ engines

D. Equipment description: Please provide specifications for turbines installed and/or reciprocating engines retired

	Turbines	Reciprocating Engines
<i>Model:</i>		
<i>Horsepower:</i>		
<i>Fuel Consumption:</i>		

E. Methane emissions reduction: _____ Mcf

F. Are these emissions reductions a one-year reduction or a multi-year reduction? One-year Multi-year

If Multi-year:

- Partner will report this activity once and let EPA automatically calculate future emission reductions based on sunset date duration (BMP 2 has a sunset period of 20 years).
- Partner will report this activity annually up to allowed sunset date.

Please identify the basis for the emissions reduction estimate, using the space provided to show any calculations

Standard Calculation

Methane emissions reduction per turbine installation = [Emissions rate from reciprocating engine per MMcf of fuel used × Fuel consumption for reciprocating engine (in MMcf/hr)] - [Emissions rate from turbine per MMcf of fuel used × Fuel consumption for turbine (in MMcf/hr)]

Please specify your data source:

- Field measurement
 Manufacturer specifications

Calculation using default

Methane emissions reduction = [0.234 scf/hp/hr × Horsepower of turbine engines installed × Hours turbine engines were used] / 1000

Other (please specify):

G. Total value of gas saved: \$ _____

Total value of gas saved = Methane emissions reduction (in Mcf) × Gas value (in \$/Mcf) [If not known, use default of \$3.50/Mcf]

H. Future activity summary:

How many turbines do you plan to install next year? _____ turbines

How many reciprocating engines do you plan to retire next year? _____ engines

Optional: Additional details by location

Facility/Location identifier information	# Turbines Installed	Total Cost of Installation (\$) (incl. equipment and labor)	# Reciprocating Engines Retired	Estimated Reductions (Mcf/yr)	Value of Gas Saved (\$)

BMP 2 Comments: Please use the back of the page for additional space if needed.



Transmission Sector Annual Report

OMB Control No. 2060-0328
Expires 09/30/2018

BMP 3: Identify and Replace High-Bleed Pneumatic Devices

Summary of Emission Reduction Activities

Please include aggregate information in this section for all locations. If multiple facilities/locations are represented, additional detail by specific facility/location can be provided in the table below.

A. Facility/location identifier information:

(If only one location note here, otherwise use table below.) _____

B. Project summary:

Number of devices replaced: _____ devices

Percent of system now equipped with low/no-bleed units: _____ %

C. Cost summary:

Estimated cost per replacement (including equipment and labor): \$ _____ /replacement

D. Methane emissions reduction: _____ Mcf

E. Are these emissions reductions a one-year reduction or a multi-year reduction? One-year Multi-year

If Multi-year:

Partner will report this activity once and let EPA automatically calculate future emission reductions based on sunset date duration (BMP 3 has a sunset period of 7 years).

Partner will report this activity annually up to allowed sunset date.

Please identify the basis for the emissions reduction estimate, using the space provided to show any calculations

Standard calculation

Methane emissions reduction = [Annual emissions from high-bleed devices replaced (in Mcf/yr) - Annual emissions for the replacement devices (in Mcf/yr)] x Number of devices replaced

Please specify your data source:

- Field measurement
 Manufacturer specifications

Calculation using default

Methane emissions reduction = 124 Mcf/yr x Number of devices replaced

Other (please specify):

F. Total value of gas saved: \$ _____

Total value of gas saved = Methane emissions reduction (in Mcf) x Gas value (in \$/Mcf) [If not known, use default of \$3.50/Mcf]

G. How many high-bleed devices do you plan to replace next year? _____ devices

Optional: Additional details by location

Facility/Location identifier Information	# Devices Replaced	Total Cost of Replacements (incl. equipment and labor) (\$)	Estimated Reductions (Mcf/yr)	Value of Gas Saved (\$)

BMP 3 Comments: Please use the back of the page for additional space if needed.



Transmission Sector Annual Report

OMB Control No. 2060-0328
Expires 09/30/2018

Partner Reported Opportunities (PROs)

For more details on PROs, visit epa.gov/gasstar/tools/recommended.html

Summary of Emission Reduction Activities

Please include aggregate information in this section for all locations. If multiple facilities/locations are represented, additional detail by specific facility/location can be provided in the table below.

A. Facility/location identifier information:

(If only one location note here, otherwise use table below.) _____

B. Project description: Please provide a separate PRO reporting form for each activity reported. If reporting a DI&M activity, please use a separate page for each location/facility surveyed.

Please specify the technology or practice that was implemented (choose from the list in the appendix or describe your own):	Please describe how your company implemented this activity:
---	---

C. Level of Implementation *(check one):*

- Number of units installed: _____ units
- Frequency of practice: _____ times/year

D. Are emissions reductions a one-year reduction or a multi-year reduction? One-year Multi-year

If Multi-year:

- Partner will report this activity once and let EPA automatically calculate future emission reductions based on sunset date duration*.
- Partner will report this activity annually up to allowed sunset date.

E. Methane emissions reduction: _____ Mcf

F. Cost summary: Estimated cost of implementing this practice/activity *(including equipment and labor)*: \$ _____

Please identify the basis for the emissions reduction estimate, using the space provided to show any calculations

- Actual field measurement Other *(please specify):*
- Calculation using manufacturer specifications/other source

G. Total value of gas saved: \$ _____

Total value of gas saved = Methane emissions reduction (in Mcf) x Gas value (in \$/Mcf) [If not known, use default of \$3.50/Mcf]

H. To what extent do you expect to implement this practice next year?

Optional: Additional details by location

Facility/Location identifier information	Frequency of Practice/Activity or # of Installations	Total Cost of Practice/Activity (incl. equipment and labor) (\$)	Estimated Reductions (Mcf/yr)	Value of Gas Saved (\$)

PRO Comments: *Please use the back of the page for additional space if needed.*

*Because the implementation of some technologies reduces emissions for multiple years, Natural Gas STAR allows certain activities to count towards a company's emission reductions beyond the initial year of implementation. Natural Gas STAR designates the maximum length of time that these reductions may accrue as "sunset dates." The Appendix lists these sunset dates. Companies can report the corresponding methane emission reductions each year up to the allowable sunset date. Or, companies may wish to report reductions only once for the implementation year, and have EPA automatically apply the sunset date and count those emissions for the allowable number of years.



Transmission Sector Annual Report

OMB Control No. 2060-0328
Expires 09/30/2018

Additional Program Accomplishments

The Natural Gas STAR Program will use any information entered here to recognize the efforts and achievements of outstanding partners.

Please include any additional information you would like to share about your company's participation in Natural Gas STAR. Examples may include:

- Activities to strengthen your program (e.g., training/education, innovative technologies or activities, pilot projects, employee incentive programs).
- Efforts to communicate your participation and successes (e.g., internal newsletters, press releases, company website).
- Participation in Natural Gas STAR program activities (e.g., contributions to case studies, presentation at annual workshop).

Additional Accomplishments:

Additional Accomplishments Comments: *Please use the back of the page for additional space if needed.*



Transmission Sector Annual Report

OMB Control No. 2060-0328
Expires 09/30/2018

Appendix

Methane Emission Reduction Technologies & Practices— Transmission Sector

The list below describes a variety of methane emission reduction technologies that Natural Gas STAR partners in the transmission sector have implemented and reported to Natural Gas STAR. You may use this list as a guide when completing your annual report. **Sunset dates (i.e., the length of time a technology or practice can continue to accrue emission reductions after implemented) are one year in duration unless otherwise noted in parentheses.** An asterisk (*) indicates that a technical document related to the technology or practice is available online at epa.gov/gasstar/tools/recommended.html.

Compressors/Engines

- Automate compressor systems operation to reduce venting
- Eliminate unnecessary equipment and/or systems*
- Install automated air/fuel ratio controls (10 years)*
- Install electric compressors (10 years)*
- Install electric motors (10 years)
- Install electric motor starters (10 years)*
- Install lean burn compressor (10 years)
- Lower compressor purge pressure for shutdown
- Redesign blowdown/alter ESD practices*
- Reduce emissions when taking compressors offline*
- Reduce natural gas venting with fewer compressor engine startups and improved engine ignition*
- Replace compressor cylinder unloaders*
- Replace compressor rod packing systems*
- Replace gas starters with air or nitrogen (10 years)*
- Replace wet compressor seals with dry seals (10 years)*
- Use of turbines at compressor stations (20 years)

Dehydrators

- Convert pneumatics to mechanical controls (10 years)*
- Install condensers on glycol dehydrators (10 years)
- Install flash tank separators/controls on transmission sector glycol dehydrators (10 years)*
- Reduce glycol circulation rates in dehydrators*
- Replace glycol dehydrator with separator & in-line heaters (10 years)
- Reroute dehydrators/tank vents to flare or station suction (10 years)*
- Reroute glycol skimmer gas*

Directed Inspection and Maintenance

- DI&M: aerial leak detection using laser and/or infrared technology*
- DI&M at compressor stations*
- DI&M at remote sites*

- DI&M: inspect/repair compressor station blowdown valves*
- DI&M: leak detection using IR camera/optical imaging*
- DI&M: leak detection using ultrasound*
- DI&M: survey and repair leaks*

Pipelines

- Inspect/repair valves during pipeline replacement*
- Pipeline replacement and repair
- Recover gas from pipeline pigging operations*
- Reduce/downgrade system pressure
- Reduced emissions through third-party damage prevention
- Use composite wrap repair*
- Use hot taps for in-service pipeline connections*
- Use inert gas/pigs for pipeline purges*
- Use pipeline pump-down techniques to lower gas line pressure before maintenance *

Pneumatics/Controls

- Convert gas pneumatic controls to instrument air (10 years)*
- Convert natural gas-driven chemical pumps (10 years)*
- Install no bleed controllers (10 years)
- Identify and replace high-bleed pneumatic devices (7 years)*
- Reduce meter run blowdowns
- Replace bi-directional orifice meter with ultrasonic meters*
- Use add-on controls to reduce emissions from pneumatics (10 years)

Tanks

- Install flash gas compressors (10 years)
- Install vapor recovery units on pipeline liquid/condensate tanks (10 years)*



Transmission Sector Annual Report

OMB Control No. 2060-0328
Expires 09/30/2018

Appendix (Continued)

Valves

- Close valves during repair to minimize blowdown*
- Design isolation valves to minimize gas blowdown volumes (10 years)*
- Move in fire gates at compressors (10 years)*
- Test and repair pressure safety valves*
- Use of YALE closures for ESD testing*

Wells

- Switch from underbalanced to overbalanced drilling in gas storage field

Other

- Convert natural gas-fired generator to solar power (10 years)
- Improve system design/operation
- Inject blowdown gas into low pressure mains or fuel gas system*
- Install flares (10 years)*
- Replace aged heaters with new efficient gas fired heaters (10 years)
- Require improvements in quality of gas received

Mailing Information:

Standard Mail:

The Natural Gas STAR Program
U.S. EPA (6207J)
1200 Pennsylvania Ave, NW
Washington, DC 20460
U.S.A.

Express/Overnight Mail:

The Natural Gas STAR Program
U.S. EPA (6207J)
1310 L Street, NW
Washington, DC 20005
U.S.A.

The public reporting and recordkeeping burden for this collection of information is estimated to average 87 hours for each response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.