

Patient ID: _____

- ACTIVE BACTERIAL CORE SURVEILLANCE CASE REPORT -

Patient's Name: _____ (Last, First, M.I.) Phone No.: () _____
Address: _____ (Number, Street, Apt. No.) Patient Chart No.: _____
(City, State) (Zip Code) Hospital: _____

- Patient identifier information is NOT transmitted to CDC -

DEPARTMENT OF HEALTH & HUMAN SERVICES CENTERS FOR DISEASE CONTROL AND PREVENTION ATLANTA, GA 30333

INVASIVE METHICILLIN-RESISTANT STAPHYLOCOCCUS AUREUS ACTIVE BACTERIAL CORE SURVEILLANCE (ABCs) CASE REPORT



Form Approved OMB No. 0920-0009

- SHADED AREAS FOR OFFICE USE ONLY -

1. STATE: (Residence of patient) 2. COUNTY: (Residence of Patient) 3. STATE I.D.: 4a. HOSPITAL/LAB I.D. WHERE CULTURE IDENTIFIED: 4b. HOSPITAL I.D. WHERE PATIENT TREATED

5. Where was the patient a resident prior to admission at time of first positive culture? 6. DATE OF BIRTH: 7a. AGE: 7b. Is age in day/mo/yr?

8a. SEX: 8b. ETHNIC ORIGIN: 8c. RACE: (Check all that apply) 8d. WEIGHT: 8e. HEIGHT:

8f. TYPE OF INSURANCE: (Check all that apply)

9. WAS PATIENT HOSPITALIZED? 10. WAS AN INFECTION RELATED TO THE INITIAL CULTURE INCLUDED IN THE ADMISSION DIAGNOSIS? 11a. LOCATION OF CULTURE COLLECTION: 11b. DATE OF INITIAL CULTURE:

12. PATIENT OUTCOME: 13a. At time of first positive culture, patient was: 13b. If pregnant or post-partum, what was the outcome of the fetus:

14. STERILE SITE(S) FROM WHICH MRSA WAS INITIALLY ISOLATED: 15. Were cultures of the SAME sterile site(s) positive between 7 and 30 days after initial culture? 16. Were cultures of OTHER sterile site(s) positive within 30 days of initial culture?

Public reporting burden of this collection of information is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number.

