

Regulations.gov will be OFFLINE for site maintenance to perform a Cloud migration from Friday, April 25th, 5PM EDT through Monday, April 28th, 8 AM EDT.



Back to Document Comments (/document/CPSC-2024-0045-0001/comment)





PUBLIC SUBMISSION

Comment from Tile Council of North America

Posted by the Consumer Product Safety Commission on Mar 7, 2025

Docket (/docket/CPSC-2024-0045) / Document (CPSC-2024-0045-0001) (/document/CPSC-2024-0045-0001) / Comment

Comment

Overall, Tile Council of North America (TCNA) supports CPSC's proposal for a new information collection concerning human slip research on bathtub friction demands. We believe the study's objectives will help in facilitating CPSC's mission.

The summary mentions friction demand will be measured for participants stepping into and out of the bathtubs when dry and wet. Transition from dry to wet surfaces should also be considered, as unexpected changes in traction can cause slip incidents. Also, clarification on how the friction data is collected (e.g., equipment used) and comparison to data obtained using a reliable measurement device would be beneficial for real-world application of this study.

We congratulate CPSC for initiating this important work regarding bathtub friction demands. Thank you for the opportunity to comment.

Give Feedback

Comment ID

CPSC-2024-0045-0007



Tracking Number

m7y-toi6-opbi

Comment Details	Submitter Info
Document Subtype	
Comment(s)	
Received Date	
Mar 7, 2025	



Your Voice in Federal Decision Making

About Bulk Data Download Agencies Learn Reports FAQ Commenting Guidance (/about) (/bulkdownload) (/agencies) (/learn) (/dotreports) (/faq) (/commenting-guidance)

Privacy & Security Notice (/privacy-notice) | User Notice (/user-notice) |
Accessibility Statement (/accessibility) | API Requests (https://open.gsa.gov/api/regulationsgov/) |
FOIA (https://www.gsa.gov/reference/freedom-of-information-act-foia)

Support (/support)