OMB Approved No. 2900-0776 Respondent Burden: 30 minutes

| Department of Veterans Affairs HIP AND THIGH CONDITIONS DISABILITY BENEFITS QUESTIONNAIRE | | | | | | |
|--|-------------------------|--|--|-----------------------|--|--|
| IMPORTANT - THE DEPARTMENT OF VETERANS AFFAIRS (VA) WILL NOT PAY OR REIMBURSE ANY EXPENSES OR COST INCURRED IN THE PROCESS OF COMPLETING AND/OR SUBMITTING THIS FORM. PLEASE READ THE PRIVACY ACT AND RESPONDENT BURDEN INFORMATION BEFORE COMPLETING FORM. | | | | | | |
| NAME OF PATIENT/VETERAN | | | PATIENT/VETERAN'S SOCIAL SECURITY NUMBER | | | |
| | | SECTION I - DIAGNOSIS | L | | | |
| NOTE TO PHYSICIAN - Your patient is applying to the U.S. Department of Veterans Affairs (VA) for disability benefits. VA will consider the information you provide on this questionnaire as part of their evaluation in processing the Veteran's claim. | | | | | | |
| 1A. DOES THE VETERAN NOW HAVE OR HAS YES NO (If "Yes," complete Item | | HIP AND/OR THIGH CONDITION? | | | | |
| 1B. PROVIDE ONLY DIAGNOSES THAT PERTA | | IDITIONS: | | | | |
| Diagnosis #1- | ICD code - | Date of diagnosis - | SIDE AFI | FECTED SHT LEFT BOTH | | |
| Diagnosis # 2 - | ICD code - | Date of diagnosis - | SIDE AFI | FECTED SHT LEFT BOTH | | |
| Diagnosis # 3 - | ICD code - | Date of diagnosis - | SIDE AFI | | | |
| 1C. IF THERE ARE ADDITIONAL DIAGNOSES F | <u> </u> | HIGH CONDITIONS, LIST USING ABOVE | | GHT LEFT BOTH | | |
| | | | | | | |
| | SEC | TION II - MEDICAL HISTORY | | | | |
| 2. DESCRIBE THE HISTORY (including onset an | nd course) OF THE VET | ERAN'S CURRENT HIP/THIGH CONDIT | ION(S) (Brief summary): | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | S | SECTION III - FLARE-UPS | | | | |
| 3. DOES THE VETERAN REPORT THAT FLARE | | | | | | |
| YES NO (If "Yes," document the | veteran's description o | of the impact of flare-ups in his or her ow | n words): | | | |
| | | | | | | |
| | | | | | | |
| SE MEASURE ROM WITH A GONIOMETER, ROUN | | RANGE OF MOTION (ROM) MEASUMENT TO THE NEAREST 5 DEGREES | | S DOCUMENT THE POINT | | |
| AT WHICH PAINFUL MOTION BEGINS, EVIDEN BELOW. | | | | | | |
| FOLLOWING THE INITIAL ASSESSMENT OF ROM, PERFORM REPETITIVE USE TESTING. FOR VA PURPOSES, REPETITIVE USE TESTING MUST BE INCLUDED IN ALL JOINT EXAMS. THE VA HAS DETERMINED THAT 3 REPETITIONS OF ROM (at a minimum) CAN SERVE AS A REPRESENTATIVE TEST OF THE EFFECT OF REPETITIVE USE. AFTER THE INITIAL MEASUREMENT, REASSESS ROM AFTER 3 REPTITIONS. REPORT POST-TEST MEASUREMENTS IN SECTION 5. | | | | | | |
| 4A. Right hip flexion | | | | | | |
| Select where flexion ends (normal endpo | | ın | 70 | | | |
| 0 | | | | | | |
| Select where objective evidence of painful motion begins: | | | | | | |
| No objective evidence of painful motion | | | | | | |
| | | | | | | |
| 75 80 85 90 95 | 100 105 110 | 115 120 125 or greater | | | | |
| 4B. Right hip extension | | | | | | |
| Select where extension ends: 0 5 Greater than 5 | | | | | | |
| Select where objective evidence of pain mo | tion begins: | | | | | |
| No objective evidence of painful motion | _ | | | | | |
| 0 5 Greater than 5 | | | | | | |
| Is abduction lost beyond 10 degrees? | | | | | | |
| YES NO | | | | | | |
| Is adduction limited such that the Veteran cannot cross legs? YES NO | | | | | | |
| Is rotation limited such that the Veteran cannot toe-out more than 15 degrees? | | | | | | |
| ☐ YES ☐ NO | | | | | | |

21-0960M-8

| 4C. Left hip flexion |
|---|
| Select where flexion ends (normal endpoint is 125 degrees): |
| |
| 75 80 85 90 95 100 105 110 115 120 125 or greater |
| Select where objective evidence of painful motion begins: |
| No objective evidence of painful motion |
| |
| 75 80 85 90 95 100 100 105 110 115 120 125 or greater |
| 4D. Left hip extension |
| Select where extension ends: |
| 0 5 Greater than 5 |
| Select where objective evidence of painful motion begins: |
| No objective evidence of painful motion |
| 0 5 Greater than 5 |
| Is abduction lost beyond 10 degrees? |
| ☐ YES ☐ NO |
| Is adduction limited such that the Veteran cannot cross legs? |
| ☐ YES ☐ NO |
| Is rotation limited such that the Veteran cannot toe-out more than 15 degrees? |
| ☐ YES ☐ NO |
| 4E. If ROM does not conform to the normal range of motion identified above but is normal for this Veteran (for reasons other than a hip condition, such as age, body |
| habitus, neurologic disease), explain: |
| |
| |
| SECTION V - ROM MEASUREMENTS AFTER REPETITIVE USE TESTING |
| 5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS? |
| ☐ YES ☐ NO |
| (If unable, provide reason): |
| |
| |
| |
| |
| |
| (If veteran is unable to perform repetitive-use testing, skip to Section VI) |
| (If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.) |
| (If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.) 5B. RIGHT HIP POST-TEST ROM |
| (If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.) 5B. RIGHT HIP POST-TEST ROM Select where post-test flexion ends: |
| (If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.) 5B. RIGHT HIP POST-TEST ROM Select where post-test flexion ends: 0 5 10 15 20 25 30 35 40 45 50 55 60 65 70 |
| (If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.) 5B. RIGHT HIP POST-TEST ROM Select where post-test flexion ends: 0 5 10 15 20 25 30 35 40 45 50 60 65 70 75 80 85 90 95 100 105 110 115 120 125 or greater |
| (If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.) 5B. RIGHT HIP POST-TEST ROM Select where post-test flexion ends: |
| (If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.) 5B. RIGHT HIP POST-TEST ROM Select where post-test flexion ends: |
| (If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.) 5B. RIGHT HIP POST-TEST ROM Select where post-test flexion ends: |
| (If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.) 5B. RIGHT HIP POST-TEST ROM Select where post-test flexion ends: \[\begin{array}{c c c c c c c c c c c c c c c c c c c |
| (If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.) 5B. RIGHT HIP POST-TEST ROM Select where post-test flexion ends: \[0 |
| (If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.) 5B. RIGHT HIP POST-TEST ROM Select where post-test flexion ends: |
| (If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.) 5B. RIGHT HIP POST-TEST ROM Select where post-test flexion ends: 0 5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 105 110 115 120 125 or greater Select where post-test flexion ends: 0 5 or greater Is post-test adduction lost beyond 10 degrees? YES NO Is post-test adduction limited such that the veteran cannot cross legs? YES NO Is post-test rotation limited such that the veteran cannot toe-out more than 15 degrees? |
| (If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.) 5B. RIGHT HIP POST-TEST ROM Select where post-test flexion ends: \[0 |
| (If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.) 5B. RIGHT HIP POST-TEST ROM Select where post-test flexion ends: |
| (If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.) 5B. RIGHT HIP POST-TEST ROM Select where post-test flexion ends: |
| (If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.) 5B. RIGHT HIP POST-TEST ROM Select where post-test flexion ends: |
| (If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.) Select where post-test flexion ends: |
| (If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.) Select where post-test flexion ends: O |
| (If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.) Select where post-test flexion ends: O |
| If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.) Select where post-test flexion ends: O |
| If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.) Select where post-test flexion ends: O |
| If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.) Select where post-test flexion ends: O |
| If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.) Select where post-test flexion ends: O |

| SECTION VI - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION IN ROM | | | | | |
|---|--|--|--|--|--|
| NOTE : THE FOLLOWING SECTION ADDRESSES REASONS FOR FUNCTIONAL LOSS, IF PRESENT, AND ADDITIONAL LOSS OF ROM AFTER REPETITIVE-USE TESTING, IF PRESENT. THE VA DEFINES FUNCTIONAL LOSS AS THE INABLILITY TO PERFORM NORMAL WORKING MOVEMENTS OF THE BODY WITH NORMAL EXCURSION, STRENGTH, SPEED, COORDINATION AND/OR ENDURANCE. | | | | | |
| 6A. DOES THE VETERAN HAVE ADDITIONAL LIMITATION IN ROM OF THE HIP AND THIGH FOLLOWING REPETITIVE-USE TESTING? | | | | | |
| YES NO 6B. DOES THE VETERAN HAVE ANY FUNCTIONAL LOSS AND/OR FUNCTIONAL IMPAIRMENT OF THE HIP AND THIGH? | | | | | |
| YES NO | | | | | |
| 6C. IF THE VETERAN HAS FUNCTIONAL LOSS, FUNCTIONAL IMPAIRMENT AND/OR ADDITIONAL LIMITATION OF ROM OF THE HIP AND THIGH AFTER REPETITIVE USE, INDICATE THE CONTRIBUTING FACTORS OF DISABILITY BELOW (check all that apply and indicate side affected): | | | | | |
| NO FUNCTIONAL LOSS FOR RIGHT LOWER EXTREMITY | | | | | |
| NO FUNCTIONAL LOSS FOR LEFT LOWER EXTREMITY | | | | | |
| LESS MOVEMENT THAN NORMAL Right Left Both MORE MOVEMENT THAN NORMAL Right Left Both | | | | | |
| WEAKENED MOVEMENT Right Left Both | | | | | |
| EXCESS FATIGABILITY Right Left Both | | | | | |
| INCOORDINATION, IMPAIRED ABILITY Right Left Both TO EXECUTE SKILLED MOVEMENTS SMOOTHLY | | | | | |
| PAIN ON MOVEMENT Right Left Both | | | | | |
| SWELLING Right Left Both | | | | | |
| DEFORMITY Right Left Both | | | | | |
| ATROPHY OF DISUSE Right Left Both | | | | | |
| INSTABILITY OF STATION Right Left Both | | | | | |
| I ☐ DISTURBANCE OF LOCOMOTION ☐ Right ☐ Left ☐ Both I ☐ INTERFERENCE WITH SITTING, ☐ Right ☐ Left ☐ Both | | | | | |
| STANDING AND OR WEIGHT-BEARING | | | | | |
| SECTION VII - PAIN (PAIN ON PALPATION) | | | | | |
| 7. DOES THE VETERAN HAVE LOCALIZED TENDERNESS OR PAIN TO PALPATION FOR JOINTS/SOFT TISSUE OF EITHER HIP? YES NO If "Yes." side affected: Right Left Both | | | | | |
| YES NO If "Yes," side affected: Right Both SECTION VIII - MUSCLE STRENGTH TESTING | | | | | |
| 8. RATE STRENGTH ACCORDING TO THE FOLLOWING SCALE: | | | | | |
| 0/5 No muscle movement 1/5 Palpable or visible muscle contraction, but no joint movement | | | | | |
| 2/5 Active movement with gravity eliminated | | | | | |
| 3/5 Active movement against gravity | | | | | |
| 4/5 Active movement against some resistance | | | | | |
| 5/5 Normal strength | | | | | |
| Hip flexion: Right: 5/5 4/5 3/5 2/5 1/5 0/5 | | | | | |
| Left: 5/5 4/5 3/5 2/5 1/5 0/5 | | | | | |
| Hip abduction: Right: 5/5 4/5 3/5 2/5 1/5 0/5 | | | | | |
| Left: 5/5 4/5 3/5 2/5 1/5 0/5 | | | | | |
| Hip extension: Right: 5/5 4/5 3/5 2/5 1/5 0/5 Left: 5/5 4/5 3/5 2/5 1/5 0/5 | | | | | |
| SECTION IX - ANKYLOSIS | | | | | |
| 9A. DOES THE VETERAN HAVE ANKYLOSIS OF EITHER HIP JOINT? | | | | | |
| YES NO If "Yes," complete Item 9B) | | | | | |
| 9B. INDICATE SEVERITY AND SIDE AFFECTED: | | | | | |
| FAVORABLE, IN FLEXION AT AN ANGLE BETWEEN 20 AND 40 DEGREES, AND SLIGHT ADDUCTION OR ABDUCTION | | | | | |
| Right Left Both | | | | | |
| ☐ INTERMEDIATE, BETWEEN FAVORABLE AND UNFAVORABLE | | | | | |
| Right Left Both | | | | | |
| UNFAVORABLE, EXTREMELY UNFAVORABLE ANKYLOSIS, FOOT NOT REACHING GROUND, CRUTCHES NEEDED | | | | | |
| Right Left Both | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| SECTION X - ADDITIONAL CONDITIONS | | | | | | |
|---|--|--|--|--|--|--|
| 10A. DOES THE VETERAN HAVE MALUNION OR NONUNION OF FEMUR, FLAIL HIP JOINT OR LEG LENGTH DISCREPANCY? | | | | | | |
| YES NO (If "Yes," indicate condition and complete the appropriate sections below): | | | | | | |
| 10B. MALUNION OR NONUNION OF THE FEMUR | | | | | | |
| If Checked, indicate condition and complete the appropriate sections below. | | | | | | |
| ☐ Malunion with slight hip disability ☐ Right ☐ Left ☐ Both | | | | | | |
| Malunion with moderate hip disability Right Left Both | | | | | | |
| Malunion with marked hip disability Right Left Both | | | | | | |
| Fracture of surgical neck with false joint Right Left Both | | | | | | |
| Fracture of shaft or neck (anatomical), Right Left Both resulting in nonunion without loose motion; weight-bearing preserved with aid of a brace | | | | | | |
| Fracture of shaft or neck (anatomical), with Right Left Both nonunion with loose motion; (spiral or oblique fracture) | | | | | | |
| NOTE: If impairment of the femur causes knee disability, also complete VA Form 21-0960M-9, Knee and Lower Leg Conditions Disability Benefits Questionnaire. | | | | | | |
| 10C. FLAIL HIP JOINT | | | | | | |
| ☐ If "Yes," indicate hip affected: ☐ Right ☐ Left ☐ Both | | | | | | |
| 10D. LEG LENGTH DISCREPANCY (shortening of any bones of the lower extremity) | | | | | | |
| If checked, provide length of each lower extremity in inches (to the nearest 1/4 inch) or centimeters, measuring from the anterior superior iliac spine to the internal malleolus of the tibia. | | | | | | |
| Measurements: Right leg: cm inches Left leg: cm inches | | | | | | |
| SECTION XI - JOINT REPLACEMENT AND OTHER SURGICAL PROCEDURES | | | | | | |
| 11A. HAS THE VETERAN HAD A TOTAL HIP JOINT REPLACEMENT? YES NO If "Yes," indicate side and severity of residuals | | | | | | |
| Right hip | | | | | | |
| Date of surgery: Residuals: | | | | | | |
| None | | | | | | |
| Intermediate degrees of residual weakness, pain and/or limitation of motion | | | | | | |
| Chronic residuals consisting of severe painful motion and/or weakness | | | | | | |
| Other, describe: | | | | | | |
| Left hip | | | | | | |
| Date of surgery: | | | | | | |
| Residuals: | | | | | | |
| None | | | | | | |
| Intermediate degrees of residual weakness, pain and/or limitation of motion Chronic residuals consisting of severe painful motion and/or weakness | | | | | | |
| Other, describe: | | | | | | |
| 11B. HAS THE VETERAN HAD ARTHROSCOPIC OR OTHER HIP SURGERY? | | | | | | |
| ☐ YES ☐ NO (If "Yes," indicate side affected): ☐ Right ☐ Left ☐ Both | | | | | | |
| Date and type of surgery: | | | | | | |
| 11C. DOES THE VETERAN HAVE ANY RESIDUAL SIGNS AND/OR SYMPTOMS DUE TO ARTHROSCOPIC OR OTHER HIP SURGERY? | | | | | | |
| YES NO (If "Yes," indicate side affected): Right Left Both | | | | | | |
| (If "Yes," describe residuals): | | | | | | |
| SECTION XII - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS AND/OR SYMPTOMS | | | | | | |
| 12A. DOES THE VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN SECTION I, DIAGNOSIS? | | | | | | |
| ☐ YES ☐ NO | | | | | | |
| If "Yes," are any of the scars painful and/or unstable, or is the total area of all related scars greater than 39 square cm (6 square inches)? | | | | | | |
| YES NO | | | | | | |
| (If "Yes," also complete VA Form 21-0960F-1, Scars/Disfigurement Disability Benefits Questionnaire) | | | | | | |

| 12B. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS AND/OR SYMPTOMS RELATED TO ANY CONDITIONS LISTED IN SECTION I, DIANOSIS? | | | | | | |
|--|--|--|--|--|--|--|
| YES NO If "Yes," describe (brief summary): | | | | | | |
| TES NO II Tes, describe (brief summary). | | | | | | |
| | | | | | | |
| SECTION XIII - ASSISTIVE DEVICES | | | | | | |
| 13A. DOES THE VETERAN USE ANY ASSISTIVE DEVICE(s) AS A NORMAL MODE OF LOCOMOTION, ALTHOUGH OCCASIONAL LOCOMOTION BY OTHER METHODS MAY BE POSSIBLE? | | | | | | |
| YES NO | | | | | | |
| (If "Yes," identify assistive device(s) used (check all that apply and indicate frequency): | | | | | | |
| | | | | | | |
| | | | | | | |
| Crutch(es) Frequency of use: Occasional Regular Constant | | | | | | |
| Cane(s) Frequency of use: Occasional Regular Constant | | | | | | |
| ☐ Walker Frequency of use: ☐ Occasional ☐ Regular ☐ Constant | | | | | | |
| Other: | | | | | | |
| Frequency of use: Occasional Regular Constant | | | | | | |
| 13B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION: | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| SECTION XIV - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES | | | | | | |
| 14A. DUE TO THE VETERAN'S HIP AND/OR THIGH CONDITION(s) IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE | | | | | | |
| FUNCTION REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROTHESES? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.) | | | | | | |
| Yes, functioning is so diminished that amputation with prosthesis would equally serve the Veteran. | | | | | | |
| | | | | | | |
| If "Yes," indicate extremities for which this applies: | | | | | | |
| Right lower Left lower | | | | | | |
| For each checked extremity, identify the condition causing loss of function, describe loss of effective function and provide specific examples (brief summary): | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| SECTION XV - DIAGNOSTIC TESTING | | | | | | |
| THE DIAGNOSIS OF DEGENERATIVE ARTHRITIS (osteoarthritis) OR TRAUMATIC ARTHRITIS MUST BE CONFIRMED BY IMAGING STUDIES. ONCE SUCH ARTHRITIS HAS BEEN DOCUMENTED, NO FURTHER IMAGING STUDIES ARE INDICATED, EVEN IF ARTHRITIS HAS WORSENED. | | | | | | |
| 15A. HAVE IMAGING STUDIES OF THE HIP BEEN PERFORMED AND ARE THE RESULTS AVAILABLE? | | | | | | |
| ☐ YES ☐ NO | | | | | | |
| If "Yes," is degenerative or traumatic arthritis documented? | | | | | | |
| YES NO | | | | | | |
| If "Yes," indicate hip: Right Both | | | | | | |
| 15B. ARE THERE ANY OTHER SIGNIFICANT DIAGNOSTIC TEST FINDINGS AND/OR RESULTS? | | | | | | |
| YES NO (If "Yes" provide type of test or precedure date and results (brief summany)): | | | | | | |
| (If "Yes," provide type of test or procedure, date and results (brief summary)): | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| SEC | TION XVI - FUNCTIONAL IMPACT AND REMARI | KS | | | |
|--|---|--------------------------|---|--|--|
| 16. DOES THE VETERAN'S HIP AND/OR THIGH CONDITION IMPACT HIS OR HER ABILITY TO WORK? | | | | | |
| YES NO If "Yes," describe the impact of ed | nch of the Veteran's hip and/or thigh conditions providin | ng one or more e | xamples: | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| 17. REMARKS (If any) | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | XVII - PHYSICIAN'S CERTIFICATION AND SIGN | | | | |
| CERTIFICATION - To the best of my knowl | edge, the information contained herein is acc | curate, comple | | | |
| 18A. PHYSICIAN'S SIGNATURE | 18B. PHYSICIAN'S PRINTED NAME | | 18C. DATE SIGNED | | |
| 400. DUVERGIANIE DUONE AND EAV NUMBER | 18E. PHYSICIAN'S MEDICAL LICENSE NUMBER | L 40E DUNGIO | ANIO APPERSO | | |
| 18D. PHYSICIAN'S PHONE AND FAX NUMBER | IOE. FITTSICIAN'S WEDICAL LICENSE NUMBER | 18F. PHYSICIAN'S ADDRESS | | | |
| | | | | | |
| NOTE - VA may request additional medical information, including additional examinations, if necessary to complete VA's review of the veteran's application. | | | | | |
| IMPORTANT - Physician please fax the completed form to | | | | | |
| NOTE - A list of VA Regional Office FAX Numbers can be found at www.vba.va.gov/disabilityexams or obtained by calling 1-800-827-1000. | | | | | |
| PRIVACY ACT NOTICE: VA will not disclose information co | llected on this form to any source other than what has been a | uthorized under the | e Privacy Act of 1974 or Title 38 Code of | | |

PRIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38, Code of Federal Regulations 1.576 for routine uses (i.e., civil or criminal law enforcement, congressional communications, epidemiological or research studies, the collection of money owed to the United States, litigation in which the United States is a party or has an interest, the administration of VA programs and delivery of VA benefits, verification of identity and status, and personnel administration) as identified in the VA system of records, 58/VA21/22/28, Compensation, Pension, Education and Vocational Rehabilitation and Employment Records - VA, published in the Federal Register. Your obligation to respond is required to obtain or retain benefits. VA uses your SSN to identify your claim file. Providing your SSN will help ensure that your records are properly associated with your claim file. Giving us your SSN account information is voluntary. Refusal to provide your SSN by itself will not result in the denial of benefits. VA will not deny an individual benefits for refusing to provide his or her SSN unless the disclosure of the SSN is required by a Federal Statute of law in effect prior to January 1, 1975, and still in effect. The requested information is considered relevant and necessary to determine maximum benefits under the law. The responses you submit are considered confidential (38 U.S.C. 5701). Information submitted is subject to verification through computer matching programs with other agencies.

RESPONDENT BURDEN: We need this information to determine entitlement to benefits (38 U.S.C. 501). Title 38, United States Code, allows us to ask for this information. We estimate that you will need an average of 30 minutes to review the instructions, find the information, and complete the form. VA cannot conduct or sponsor a collection of information unless a valid OMB control number is displayed. You are not required to respond to a collection of information if this number is not displayed. Valid OMB control numbers can be located on the OMB Internet Page at www.reginfo.gov/public/do/PRAMain. If desired, you can call 1-800-827-1000 to get information on where to send comments or suggestions about this form.