OMB Control No. 2900-0776 Respondent Burden: 30 minutes Expiration Date: XX/XX/XXXX

Departmen

Department of Veterans Affairs

DIABETIC SENSORY-MOTOR PERIPHERAL NEUROPATHY DISABILITY BENEFITS QUESTIONNAIRE

IMPORTANT - THE DEPARTMENT OF VETERANS AFFAIRS (VA) WILL NOT PAY OR REIMBURSE ANY EXPENSES OR COST INCURRED IN THE PROCESS OF COMPLETING AND/OR SUBMITTING THIS FORM. PLEASE READ THE PRIVACY ACT AND RESPONDENT BURDEN INFORMATION BEFORE COMPLETING FORM.

BEFORE COMPLETING FORM.					
NAME OF PATIENT/VETERAN		PATIENT/VETERAN'S SOCIAL SECURITY NUMBER			
NOTE TO PHYSICIAN - Your patient is applying to the U.S. Department of Veterans Affairs (VA) for disability benefits. VA will consider the information you provide on this questionnaire as part of their evaluation in processing the veteran's claim.					
	SECTION I - DIAGNOSIS				
1A. DOES THE VETERAN NOW HAVE OR HAS HE OR SHE EVER $\ $ YES $\ $ NO $\ $ (If "Yes," complete Item 1B)	BEEN DIAGNOSED WITH DIABETIC PERII	PHERAL NEUROPATHY?			
1B. PROVIDE DIAGNOSES THAT PERTAIN TO DIABETIC PERIPHE	ERAL NEUROPATHY:				
DIAGNOSIS # 1 -	ICD CODE -	DATE OF DIAGNOSIS -			
DIAGNOSIS # 2 -	ICD CODE -	DATE OF DIAGNOSIS -			
DIAGNOSIS # 3 -	ICD CODE -	DATE OF DIAGNOSIS -			
	ECTION II - MEDICAL HISTORY				
2A. DOES THE VETERAN HAVE DIABETES MELLITUS TYPE I OR	TYPE II?				
2B. DESCRIBE THE HISTORY (including cause, onset and course)	OF THE VETERANG BIABETIOT ENTITLES	AL NEGROTATITI			
2C. DOMINANT HAND					
RIGHT LEFT AMBIDEXTROUS	OF OTHER HILL OVALD TO LO				
3. DOES THE VETERAN HAVE ANY SYMPTOMS ATTRIBUTABLE TO YES NO (If "Yes," indicate symptoms' location and statements.		?			
CONSTANT PAIN (may be excruciating at times)					
LEFT UPPER EXTREMITY: None Mild Moc	lerate Severe lerate Severe lerate Severe lerate Severe				
INTERMITTENT PAIN (usually dull)					
RIGHT UPPER EXTREMITY: None Mild Mod	erate Severe				
LEFT UPPER EXTREMITY: None Mild Mod	erate Severe				
RIGHT LOWER EXTREMITY: None Mild Mod	erate Severe				
LEFT LOWER EXTREMITY: None Mild Mod	erate Severe				

SECTION III - SYMPTOMS (Continued)							
3. DOES THE VETERAN HAVE ANY SYMPTOMS ATTRIBUTABLE TO DIABETIC PERIPHERAL NEUROPATHY? (Continued)							
PARESTHESIAS AND/OR DYSESTHESIAS							
RIGHT UPPER EXTREMITY: None Mild Moder	rate Severe						
LEFT UPPER EXTREMITY: None Mild Moder	rate Severe						
RIGHT LOWER EXTREMITY: None Mild Moder	rate Severe						
LEFT LOWER EXTREMITY: None Mild Moder	rate Severe						
NUMBNESS							
RIGHT UPPER EXTREMITY: None Mild Moder	rate Severe						
LEFT UPPER EXTREMITY: None Mild Moder	rate Severe						
RIGHT LOWER EXTREMITY: None Mild Moder	rate Severe						
LEFT LOWER EXTREMITY: None Mild Moder	rate Severe						
OTHER SYMPTOMS (Describe symptoms, location and severity	v):						
SEC	TION IV - NEUROLOGIC EXAM						
4A. STRENGTH - RATE STRENGTH ACCORDING TO THE FOLLOW							
0/5 No muscle movement 2/5 N	No movement against gravity	4/5 Less than normal strength					
1/5 Visible muscle movement, but no joint movement 3/5 N	No movement against resistance	5/5 Normal strength					
All normal							
Elbow Flexion RIGHT: 5/5 4/5 3/5							
LEFT: 5/5 4/5 3/5 Elbow Extension RIGHT: 5/5 4/5 3/5							
LEFT: 5/5 4/5 3/5							
Wrist Flexion RIGHT: 5/5 4/5 3/5							
LEFT: 5/5 4/5 3/5	5 2/5 1/5 0/5						
Wrist Extension RIGHT: 5/5 4/5 3/5	5						
LEFT: 5/5 4/5 3/5							
Grip RIGHT: 5/5 4/5 3/5 18/5 3/5 4/5 3/5 18/5 3/5 18/5 3/5 18/5 3/5 18/5							
Pinch RIGHT: 5/5 4/5 3/5							
(thumb to index finger) LEFT: 5/5 4/5 3/5							
Knee Extension RIGHT: 5/5 4/5 3/5	5 2/5 1/5 0/5						
LEFT: 5/5 4/5 3/5	5						
Knee Flexion RIGHT: 5/5 4/5 3/5							
LEFT: 5/5 4/5 3/5							
Ankle Plantar Flexion RIGHT: 5/5 4/5 3/5 LEFT: 5/5 4/5 3/5							
Ankle Dorsiflexion RIGHT: 5/5 4/5 3/5							
LEFT: 5/5 4/5 3/5							
4B. DEEP TENDON REFLEXES (DTRs) - RATE REFLEXES ACCORDING TO THE FOLLOWING SCALE:							
0 - Absent 2+ Normal	4+ Increased with clonus						
1+ Decreased 3+ Increased without clonus							
All normal							
Biceps RIGHT: 0 1+ 2+	3+ 4+						
LEFT: 0 1+ 2+	3+						
Triceps RIGHT: 0 1+ 2+ LEFT: 0 1+ 2+	3+ 4+ 3+ 4+						
Brachioradialis RIGHT: 0 1+ 2+	3+ 4+						
LEFT: 0 1+ 2+	3+ 4+						
Knee RIGHT: 0 1+ 2+	3+ 4+						
LEFT: 0 1+ 2+	3+ 4+						
Ankle RIGHT: 0 1+ 2+	3+ 4+						
LEFT: 0 1+ 2+	3+ 4+						

					SECTION IV	- NE	EUROLOGIC EXAM (Continued)	
4C. LIGHT TOUCH/MONOFILAMENT TESTING RESULTS								
All Normal								
Shoulder area	RIGHT:		Normal		Decreased	П	Absent	
Shoulder area	LEFT:	H	Normal	H	Decreased	H	Absent	
Inner/outer forearm	RIGHT:	H	Normal	H	Decreased	H	Absent	
illilei/outer lorealill	LEFT:	H	Normal	H	Decreased	H	Absent	
Hand/fingers	RIGHT:	H	Normal	H	Decreased	H	Absent	
Trand/ingers	LEFT:	H	Normal	H	Decreased	H	Absent	
Knee/thigh	RIGHT:	H	Normal	Н	Decreased	Н	Absent	
Tales/align	LEFT:	Н	Normal	П	Decreased	П	Absent	
Ankle/lower leg	RIGHT:	Н	Normal	П	Decreased	П	Absent	
7 tillionewer leg	LEFT:	H	Normal	Н	Decreased	П	Absent	
Foot/toes	RIGHT:	Ħ	Normal	П	Decreased	Н	Absent	
	LEFT:	Ħ	Normal	П	Decreased	П	Absent	
AD POSITION SENSE (av		ìnaer		ons		ation	tt to identify up and down movement)	
Not tested	usp index j	inger	greui ioe	on s	ues unu usk p	шиен	a to tuentify up und down movement)	
RIGHT UPPER EXTREMI	TY		Normal		Decreased		Absent	
LEFT UPPER EXTREMIT		H	Normal	Н	Decreased	H	Absent	
RIGHT LOWER EXTREM		Ħ	Normal	H	Decreased	F	Absent	
LEFT LOWER EXTREMIT		Ħ	Normal	H	Decreased	F	Absent	
				·	'			
Not tested	JN (place i	оw-рі	испеа иип	ing jo	ork over DIP J	oini (of index finger/IP joint of great toe)	
RIGHT UPPER EXTREMI	TV		Normal		Decreased		Absent	
LEFT UPPER EXTREMITY		H	Normal	H	Decreased	H	Absent	
RIGHT LOWER EXTREMI		H	Normal	H	Decreased	H	Absent	
LEFT LOWER EXTREMIT		H	Normal	H	Decreased	H	Absent	
		<u> </u>		, ,	'	. ,	•	
4F. COLD SENSATION (te.	st distal ext	remit	ies for co	ld sei	nsation with si	ide oj	tuning fork)	
Not tested	T.V		Normal		Degraped		About	
RIGHT UPPER EXTREMIT		H	Normal Normal		Decreased Decreased	H	Absent Absent	
RIGHT LOWER EXTREMI		H	Normal		Decreased	H	Absent	
		H				H		
LEFT LOWER EXTREMITY Normal Decreased Absent 4G. DOES THE VETERAN HAVE MUSCLE ATROPHY?								
YES NO	TIAVE MO	JOLL	AIROITI	1:				
		. ,	\					
(If muscle atrophy is pres	sent, indica	te loc	ation):					
-								
(For each instance of mu	scle atroph	y, pro	ovide mea.	surer	nents in cm be	twee	n normal and atrophied side, measured at maximum muscle bulk:cm.)	
4H. DOES THE VETERAN	HAVE TRO	PHIC	CHANGE	ES (c	haracterized b	by los	ss of extremity hair, smooth, shiny skin, etc.) ATTRIBUTABLE TO DIABETIC PERIPHERAL	
NEUROPATHY?								
YES NO (I)	f "Yes," des	cribe)) <i>:</i>					
SECTION V - SEVERITY								
NOTE: Based on symptoms and findings from Sections III and IV, complete Items 5a and 5b below to provide an evaluation of the severity of the veteran's diabetic peripheral neuropathy.								
NOTE: For VA purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete paralysis that is given with each								
nerve. If the nerve is completely paralyzed, check the box for "complete paralysis". If the nerve is not completely paralyzed, check the box for "incomplete paralysis" and indicate severity.								
For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.								
5A. DOES THE VETERAN HAVE AN UPPER EXTREMITY DIABETIC PERIPHERAL NEUROPATHY?								
YES NO (If "Yes," indicate nerve affected, severity and side affected)								
RADIAL NERVE (musculospiral nerve)								
(NOTE: Complete paralysis (hand and fingers drop, wrist and fingers flexed; cannot extend hand at wrist, extend proximal phalanges of fingers, extend thumb or								
make lateral movement of wrist; supination of hand, elbow extension and flexion weak, hand grip impaired.) RIGHT: Normal Incomplete paralysis Complete paralysis								
(If incomplete paralysis is checked, indicate severity):								
Mild Moderate Severe								

SECTION V - SEVERITY (Continued)						
5A. DOES THE VETERAN HAVE AN UPPER EXTREMITY DIABETIC PERIPHERAL NEUROPATHY? (Continued)						
LEFT: Normal Incomplete paralysis Complete paralysis						
(If incomplete paralysis is checked, indicate severity):						
Mild Moderate Severe						
MEDIAN NERVE (NOTE: Complete paralysis (hand inclined to the ulnar side, index and middle fingers extended, atrophy of thenar eminence, cannot make fist, defective opposition of thumb, cannot flex distal phalanx of thumb; wrist flexion weak.)						
RIGHT: Normal Incomplete paralysis Complete paralysis						
(If incomplete paralysis is checked, indicate severity):						
Mild Moderate Severe						
LEFT: Normal Incomplete paralysis Complete paralysis						
(If incomplete paralysis is checked, indicate severity):						
Mild Moderate Severe						
<u>-</u>						
ULNAR NERVE (NOTE: Complete paralysis ("griffin claw" deformity, atrophy in dorsal interspaces, thenar and hypothenar eminences; cannot extend ring and little finger, cannot spread fingers, cannot adduct the thumb; wrist flexion weakened.)						
RIGHT: Normal Incomplete paralysis Complete paralysis						
(If incomplete paralysis is checked, indicate severity):						
Mild Moderate Severe						
LEFT: Normal Incomplete paralysis Complete paralysis						
(If incomplete paralysis is checked, indicate severity):						
Mild Moderate Severe						
5B. DOES THE VETERAN HAVE A LOWER EXTREMITY DIABETIC PERIPHERAL NEUROPATHY?						
YES NO (If "Yes," indicate nerve affected, severity and side affected)						
SCIATIC NERVE						
(NOTE: Complete paralysis (foot dangles and drops, no active movement of muscles below the knee, flexion of knee weakened or lost.)						
RIGHT: Normal Incomplete paralysis Complete paralysis						
(If incomplete paralysis is checked, indicate severity):						
Mild Moderate Moderately Severe Severe, with marked muscular atrophy						
LEFT: Normal Incomplete paralysis Complete paralysis						
(If incomplete paralysis is checked, indicate severity):						
Mild Moderate Severe Severe, with marked muscular atrophy						
FEMORAL NERVE (anterior crural)						
(NOTE: Complete paralysis (paralysis of quadriceps extensor muscles.)						
RIGHT: Normal Incomplete paralysis Complete paralysis						
(If incomplete paralysis is checked, indicate severity):						
Mild Moderate Moderately Severe						
LEFT: Normal Incomplete paralysis Complete paralysis						
(If incomplete paralysis is checked, indicate severity):						
Mild Moderate Moderately Severe						
SECTION VI - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS AND/OR SYMPTOMS						
6A. DOES THE VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN SECTION I, DIAGNOSIS?						
YES NO (If "Yes," are any of the scars painful and/or unstable, or is the total area of all related scars greater than or equal to 39 square cm (6 square inches?))						
YES NO (If "Yes," ALSO complete VA Form 21-0960F-1, Scars/Disfigurement Disability Benefits Questionnaire)						
6B. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS AND/OR SYMPTOMS RELATED TO						
ANY CONDITIONS LISTED IN SECTION I, DIAGNOSIS?						
YES NO (If "Yes," describe) (Brief summary):						

SECTION VII - DIAGNOSTIC TESTING							
NOTE: For purposes of this examination, elect peripheral neuropathy can be made in the approbjective clinical findings, which may include so and/or lost/decreased sensation to monofilament	opriate clinical sometrical lost/do	etting by a histo	orv of cl	naracteristic nain ai	nd/or sensory changes in a	a stocking/glove distribution and	
7A. HAVE EMG STUDIES BEEN PERFORMED?	<u> </u>						
☐ YES ☐ NO							
(Extremities tested):							
RIGHT UPPER EXTREMITY Results:	Normal	Abnormal	Data				
LEFT UPPER EXTREMITY Results:	Normal L	Abnormal					
RIGHT LOWER EXTREMITY Results:	☐ Normal [Abnormal	Date:				
LEFT LOWER EXTREMITY Results:	Normal	Abnormal	Date:				
(If abnormal, describe):							
7B. IF THERE ARE OTHER SIGNIFICANT FINDI	NGS OR DIAGNO	STIC TEST RES	SULTS, F	PROVIDE DATES AN	ND DESCRIBE		
	SF	CTION VIII - F	UNCTI	ONAL IMPACT			
8. DOES THE VETERAN'S DIABETIC PERIPHER					?		
					ing one or more examples:		
I TES I NO IJ TES, desertoe u	npaci of the veter	an s aidociic pe	ripherui	неш орину, ргочи	ing one or more examples.		
		OFOTION	LIV DE	TALA DIVO			
		SECTION	I IX - RE	:MARKS			
9. REMARKS, if any:							
SECTION X - PHYSICIAN'S CERTIFICATION AND SIGNATURE							
CERTIFICATION - To the best of my ki	nowledge, the in	nformation cor	ntained	herein is accurate	e, complete and current.		
10A. PHYSICIAN'S SIGNATURE		10B. PHYSICI	AN'S PR	INTED NAME		10C. DATE SIGNED	
10D. PHYSICIAN'S PHONE AND FAX NUMBER	10E. PHYSICIAN	'S MEDICAL LIC	ENSE N	UMBER	10F. PHYSICIAN'S ADDR	ESS	
NOTE - VA may request additional medical information, including additional examinations, if necessary to complete VA's review of the veteran's application.							
IMPORTANT - Physician please fax the completed form to							
(VA Regional Office FAX No.)							
NOTE - A list of VA Regional Office FAX Numbers can be found at www.benefits.va.gov/disabilityexams or obtained by calling 1-800-827-1000.							

PRIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38, Code of Federal Regulations 1.576 for routine uses (i.e., civil or criminal law enforcement, congressional communications, epidemiological or research studies, the collection of money owed to the United States, litigation in which the United States is a party or has an interest, the administration of VA programs and delivery of VA benefits, verification of identity and status, and personnel administration) as identified in the VA system of records, 58VA21/22/28, Compensation, Pension, Education and Vocational Rehabilitation and Employment Records - VA, published in the Federal Register. Your obligation to respond is voluntary. VA uses your SSN to identify your claim file. Providing your SSN will help ensure that your records are properly associated with your claim file. Giving us your SSN account information is voluntary. Refusal to provide your SSN by itself will not result in the denial of benefits. VA will not deny an individual benefits for refusing to provide his or her SSN unless the disclosure of the SSN is required by a Federal Statute of law in effect prior to January 1, 1975, and still in effect. The requested information is considered relevant and necessary to determine maximum benefits under the law. The responses you submit are considered confidential (38 U.S.C. 5701). Information submitted is subject to verification through computer matching programs with other agencies.

RESPONDENT BURDEN: We need this information to determine entitlement to benefits (38 U.S.C. 501). Title 38, United States Code, allows us to ask for this information. We estimate that you will need an average of 30 minutes to review the instructions, find the information, and complete a form. VA cannot conduct or sponsor a collection of information unless a valid OMB control number is displayed. You are not required to respond to a collection of information if this number is not displayed. Valid OMB control numbers can be located on the OMB Internet Page at www.reginfo.gov/public/do/PRAMain. If desired, you can call 1-800-827-1000 to get information on where to send comments or suggestions about this form.