According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control numbers for this information are 0938-0760 and 0938-0761. The time required to complete this information collection is estimated to average 0.7 minute per response, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collection. If you have comments concerning the accuracy of the time estimate(s) or suggestions for improving this form, please write to: CMS, 7500 Security Boulevard, Attn: PRA Reports

Clearance Officer. Baltimore. Maryland 21244-1850. PRA notice to be updated after PRA review is completed

Home Health Patient Tracking Sheet

(M0010)	Agency Medicare Provider Number:	
(M0014)	Branch State:	
(M0016)	Branch ID Number:	
(M0020)	Patient ID Number:	
(M0030)	Start of Care Date://	
(M0032)	Resumption of Care Date:// □	NA - Not Applicable
(M0040)	month / day / year Patient Name:	
(First)	(MI) (Last)	(Suffix)
(M0050)	Patient State of Residence:	
(M0060)	Patient Zip Code:	
(M0063)	Medicare Number:(including suffix)	☐ NA - No Medicare
(M0064)	Social Security Number:	☐ UK - Unknown or Not Available
(M0065)	Medicaid Number:	_ D NA - No Medicaid
(M0066)	Birth Date://	
(M0069)	Gender:	
	1 - Male 2 - Female	
(M0072)	Primary Referring Physician ID:	
		☐ UK - Unknown or Not Available
(M0140)	Race/Ethnicity (as identified by patient): (Mark all that apply	/ .)
	· · · · · · · · · · · · · · · · · · ·	
=		
	3 - Black or African-American	
	 3 - Black or African-American 4 - Hispanic or Latino 5 - Native Hawaiian or Pacific Islander 	
	3 - Black or African-American4 - Hispanic or Latino	

(M0150)	Curi	rent	Payment Sources for Home Care: (Mark all that apply.)
	0	-	None; no charge for current services
	1	-	Medicare (traditional fee-for-service)
	2	-	Medicare (HMO/managed care/Advantage plan)
	3	-	Medicaid (traditional fee-for-service)
	4	-	Medicaid (HMO/managed care)
	5	-	Workers' compensation
	6	-	Title programs (e.g., Title III, V, or XX)
	7	-	Other government (e.g., CHAMPUS, VA, etc.)
	8	-	Private insurance
	9	-	Private HMO/managed care
	10	-	Self-pay
	11	-	Other (specify)
	UK	-	Unknown

Outcome and Assessment Information Set (OASIS-C draft) Items to be Used at Specific Time Points

Start of Care	
Start of care—further visits planned	M1010, M1020, M1030, M1040, M1050, M1060, M1070, M1072, M1080, M1090, M1102, M1110, M1120, M1130, M1140, M1150, M1160, M1170, M1180
Resumption of Care	- M0032, M0080-M0826, M1010, M1020, M1030, M1040,
Resumption of care (after inpatient stay)	M1050, M1060, M1070, M1072, M1080, M1090, M1102, M1110, M1120, M1130, M1140, M1150, M1160, M1170, M1180
Follow-Up	- M0080-M0100, M0110, M0230-M0250, M0390, M0420-
Recertification (follow-up) assessment Other follow-up assessment	M0452, M0465-M0490, M0520-M0550, M0652-M0702, M0802, M0826, M1021, M1025, M1031, M1035, M1050, M1060, M1065, M1070, M1073, M1085, M1095, M1105, M1110, M1155, M1160, M1170, M1180
Transfer to an Inpatient Facility	- M0080-M0100, M0831-M0855, M0890-M0906, M1021,
Transferred to an inpatient facility—patient not discharged from an agency Transferred to an inpatient facility—patient discharged from agency	M1025, M1031, M1035, M1050, M1060, M1065, M1073, M1085, M1095, M1105, M1110, M1155, M1160, M1170, M1180
Discharge from Agency — Not to an Inpatient Facility	
Death at home	- M0080-M0100, M0906 - M0080-M0100, M0250-M0345, M0406-M0540, M0560-M0712, M0722-M0772, M0782 - M0802, M0810, M0822-M0824, M0831-M0870, M0896, M0900, M0903-M0906, M1021, M1025, M1031, M1035, M1050, M1060, M1065, M1070, M1073, M1085, M1095, M1105, M1110, M1120, M1130, M1140, M1155, M1160, M1170, M1180
CLINICAL RECORD ITEMS (M0080) Discipline of Person Completing Assessment □ 1-RN □ 2-PT □ 3-SLP/ST	
(M0090) Date Assessment Completed:/_ month / da	/
(M0100) This Assessment is Currently Being Complet	ed for the Following Reason:
Start/Resumption of Care 1 − Start of care—further visits planned 2 − Resumption of care (after inpatient stay)
Follow-Up ☐ 4 - Recertification (follow-up) reassessmen ☐ 5 - Other follow-up [Go to M0110]	it [Go to <i>M0110</i>]
Transfer to an Inpatient Facility	
☐ 6 - Transferred to an inpatient facility—pati	
7 - Transferred to an inpatient facility—pati	
	ent discharged from agency [Go to M0830]
Discharge from Agency — Not to an Inpatient	ent discharged from agency [Go to M0830]
	ent discharged from agency [Go to <i>M0830</i>] t Facility
Discharge from Agency — Not to an Inpatient ■ 8 – Death at home [Go to M0906] ■ 9 – Discharge from agency [Go to M0110]	ent discharged from agency [Go to M0830] t Facility
Discharge from Agency — Not to an Inpatient ■ 8 – Death at home [Go to M0906]	ent discharged from agency [Go to M0830] t Facility

(M0104)	Date of Physician-ordered Start of Care: If the physician indicated a specific start of care date when the patient was referred for home health services, record the date specified.
	/ / month / day / year
	NA – No specific SOC date ordered by physician.
(M0110)	Episode Timing: Is the Medicare home health payment episode for which this assessment will define a case mix group an "early" episode or a "later" episode in the patient's current sequence of adjacent Medicare home health payment episodes?
	 1 - Early 2 - Later UK - Unknown NA - Not Applicable: No Medicare case mix group to be defined by this assessment.
DEMO	GRAPHICS AND PATIENT HISTORY
	From which of the following Inpatient Facilities was the patient discharged <u>during the past 14 days</u> ? (Mark all that apply.)
	4 - Other nursing home
(M0180)	Inpatient Discharge Date (most recent): //
	UK - Unknown
a. __	List each Inpatient Diagnosis and ICD-9-CM code at the level of highest specificity for only those conditions treated during an inpatient stay within the last 14 days (no surgical, E-codes, or V-codes): Inpatient Facility Diagnosis ICD-9-CM (•)
(M0200)	Medical or Treatment Regimen Change Within Past 14 Days: Has this patient experienced a change in medical or treatment regimen (e.g., medication, treatment, or service change due to new or additional diagnosis, etc.) within the last 14 days?
	0 - No [If No, go to M0220; if No at Discharge, go to M0250]1 - Yes
	List the patient's Medical Diagnoses and ICD-9-CM codes at the level of highest specificity for those conditions requiring changed medical or treatment regimen (no surgical, E-codes, or V-codes):
_	hanged Medical Regimen Diagnosis ICD-9-CM
	() ()
	(
	()
-	

(M0220)	this pas	pati t 14	ons Prior to Medical or Treatment Regimen Change or Inpatient Stay Within Past 14 Days: ent experienced an inpatient facility discharge or change in medical or treatment regimen within th days, indicate any conditions which existed <u>prior to</u> the inpatient stay or change in medical or nt regimen. (Mark all that apply.)
	1	-	Urinary incontinence
	2	-	Indwelling/suprapubic catheter
	3	-	Intractable pain
	4	-	Impaired decision-making
	5	-	Disruptive or socially inappropriate behavior
	6	-	Memory loss to the extent that supervision required
	7	-	None of the above
	NA	-	No inpatient facility discharge and no change in medical or treatment regimen in past 14 days
	ПK	_	Unknown

CONFIDENTIAL: OASIS-C Changes **2007-10-18** 5 **DO NOT DISSEMINATE**

Centers for Medicare & Medicaid Services

(M0230/240/246) Diagnoses, Severity Index, and Payment Diagnoses: List each diagnosis for which the patient is receiving home care (Column 1) and enter its ICD-9-CM code at the level of highest specificity (no surgical/procedure codes) (Column 2). Rate each condition (Column 2) using the severity index. (Choose one value that represents the most severe rating appropriate for each diagnosis.) V codes (for M0230 or M0240) or E codes (for M0240 only) may be used. ICD-9-CM sequencing requirements must be followed if multiple coding is indicated for any diagnoses. If a V code is reported in place of a case mix diagnosis, then optional item M0246 Payment Diagnoses (Columns 3 and 4) may be completed. A case mix diagnosis is a diagnosis that determines the Medicare PPS case mix group.

Code each row according to the following directions for each column:

Column 1: Enter the description of the diagnosis.

Column 2: Enter the ICD-9-CM code for the diagnosis described in Column 1;

Rate the severity of the condition listed in Column 1 using the following scale:

- 0 Asymptomatic, no treatment needed at this time
- 1 Symptoms well controlled with current therapy
- 2 Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
- 3 Symptoms poorly controlled; patient needs frequent adjustment in treatment and dose monitoring
- 4 Symptoms poorly controlled; history of re-hospitalizations
- Column 3: (OPTIONAL) If a V code reported in any row in Column 2 is reported in place of a case mix diagnosis, list the appropriate case mix diagnosis (the description and the ICD-9-CM code) in the same row in Column 3. Otherwise, leave Column 3 blank in that row.
- Column 4: (OPTIONAL) If a V code in Column 2 is reported in place of a case mix diagnosis that requires multiple diagnosis codes under ICD-9-CM coding guidelines, enter the diagnosis descriptions and the ICD-9-CM codes in the same row in Columns 3 and 4. For example, if the case mix diagnosis is a manifestation code, record the diagnosis description and ICD-9-CM code for the underlying condition in Column 3 of that row and the diagnosis description and ICD-9-CM code for the manifestation in Column 4 of that row. Otherwise, leave Column 4 blank in that row.

(M0230) Primary Diagnosis & (M0	240) Other Diagnoses	(M0246) Case Mix Diagnoses	(OPTIONAL)
Column 1	Column 2	Column 3	Column 4
	ICD-9-CM and severity rating for each condition	Complete only if a V code in Column 2 is reported in place of a case mix diagnosis.	Complete only if the V code in Column 2 is reported in place of a case mix diagnosis that is a multiple coding situation (e.g., a manifestation code).
Description	ICD-9-CM / Severity Rating	Description/ ICD-9-CM	Description/ ICD-9-CM
(M0230) Primary Diagnosis	(V codes are allowed)	(V or E codes NOT allowed)	(V or E codes NOT allowed)
a	a. (•) □0 □1 □2 □3 □4	a	a
(M0240) Other Diagnoses	(V or E codes are allowed)	(V or E codes NOT allowed)	(V or E codes NOT allowed)
b	b. () □0 □1 □2 □3 □4	b	b)
С	c.() □0 □1 □2 □3 □4	c)	c
d	d.() □0 □1 □2 □3 □4	d)	d
е	e.() □0 □1 □2 □3 □4	e)	e)
f	f. (•) □0 □1 □2 □3 □4	f)	f

(M0250)	Therapies the patient receives <u>at home</u> : (Mark all that apply.)
	1 - Intravenous or infusion therapy (excludes TPN)
	2 - Parenteral nutrition (TPN or lipids)
	 Enteral nutrition (nasogastric, gastrostomy, jejunostomy, or any other artificial entry into the alimentary canal)
	4 - None of the above
(M0275)	Frailty Indicators: Which of the following signs or symptoms characterize this patient as at risk for major decline or hospitalization? (Mark all that apply.)
	1 - Unstable vital signs
	2 - Debilitating pain
	Recent change in mental status Recent functional decline
ä	5 - Multiple hospitalizations (>1) in the past 12 months
	6 - History of falls (2 or more falls - or any fall with an injury - in the past year)
	7 - Other
	8 - None of the above
(M0285)	Stability Prognosis: Which description best fits the patient's overall status? [check one]
	 The patient is stable with no heightened risk for serious complications and death (beyond those typical of the patient's age).
	1 - The patient is temporarily facing high health risks but is likely to return to being stable without heightened risk for serious complications and death (beyond those typical of the patient's age).
	2 - The patient is likely to remain in fragile health and have ongoing high risks of serious complications and death.
	 3 - The patient has serious progressive conditions that could lead to death within a year. UK - The patient's situation is unknown or unclear.
(M0291)	Risk Factors characterizing this patient: (Mark all that apply.)
	1 - Smoking
	2 - Obesity
	3 - Alcohol dependency
	4 - Drug dependency5 - None of the above
=	UK - Unknown
(M1010)	Urgent/Emergency Contact Information: Was the patient or caregiver provided <u>patient-specific</u> verbal and written instructions during the first visit regarding when and how to contact the HOME HEALTH AGENCY for urgent health-related problems during the day and after hours, and when to call 911 for a medical emergency?
П	0- No
ä	1- Yes
(M1020)	Influenza Vaccine: Has the patient received an influenza vaccination during this year's recommended time period?
	0 - No
무	1 - Yes
	NA - Does not apply. SOC/ROC date is not within time period. UK - Unknown
(M1021)	Influenza Vaccine: Did the patient receive the influenza vaccine from your agency during this year's
` _	recommended time period?
	0 - No (Complete M1025)
	 Yes (Skip M1025) NA - Does not apply because entire care episode is outside this year's recommended time period.
ب	(Skip M1025)

(M1025)		Influenza Vaccine not re state reason:	eceived: If the	patient did n	ot receive the i	nfluenza vaccine fro	om your
		Received from another he Not eligible / Not indicated		ider (e.g., phy	vsician)		
		Offered and declined					
	-	Not offered	due to declare	nd chartage			
		Inability to obtain vaccine None of the above	due to declare	ed shortage			
_		ococcal Vaccine: Is the p		nococcal poly	saccharide vac	cine (PPV) status u	p to date?
		No (skip pattern removed Yes (skip pattern remove					
· <u></u>		Unknown	u)				
(M1031)	Pneum	ococcal Vaccine: Is the p	atient's pneum	nococcal poly	saccharide vac	cine (PPV) status u	p to date?
	-	No (Complete M1035) Yes (Skip M1035)					
(M1035)	If Pneu	mococcal Vaccine is not	up to date, st	ate reason:			
		Not eligible / Not indicate	d				
	_	Offered and declined Not offered					
(M0345)	modification modif	Yes ANGEMENTS Living Situation: Which of	to contact the	physician for	vital signs or o	other clinical finding	s?
avaliabili	ly or assi	stance? (Check one box	Only).	Δν	ailability of As	sistance	
			Around		anability of Ac	No assistance	
Living A			the clock	Day only	Night only	available	Unknown
a Patient			□ 01	□ 02	□ 03	□ 04	□ 05
		h other person(s) congregate situation	□ 06	□ 07	□ 08	□ 09	□ 10
	ssisted li		□ 11	□ 12	□ 13	□ 14	□ 15
		TATUS with corrective lenses if the	a nationt usuall	y woare thom			
(1810390)	0 -	Normal vision: sees adea	•	•		ion lahels newsnrir	nt
		Partially impaired: canno	•			· ·	
	2 -	the surrounding layout; ca Severely impaired: cannot				a them or nationt	
		nonresponsive.	or locate object	is williout fiee	ining or todoriin	g them of patient	
(M0405)	Ability	to hear (with hearing aid	or hearing app	liance if norm	ally used):		
		Adequate: hears normal			•		
	1 -	Mildly to Moderately Impa increase volume or speak		nearing in so	me environme	nts or speaker may	need to
	2 -	Severely Impaired: abser		earing.			
	LIIZ	Unable to assess hearing	ı				

(1010406	"	Un	aer	standing of verbal Content in patient's own language (with hearing ald or device if used):
		0	-	Understands: clear comprehension without cues or repetitions.
		1	-	Usually/Sometimes Understands: Comprehends only basic conversations or simple, direct
_	_			phrases or requires cues to understand.
	_			Rarely/Never Understands
L		UK	-	Unable to assess understanding.
(M0410	0) :	Spe	ech	and Oral (Verbal) Expression of Language (in patient's own language):
_	_, 	0		Expresses complex ideas, feelings, and needs clearly, completely, and easily in all situations with
L	_	U	-	no observable impairment.
Г		1	_	Minimal difficulty in expressing ideas and needs (may take extra time; makes occasional errors in
-		•		word choice, grammar or speech intelligibility; needs minimal prompting or assistance).
[2	-	Expresses simple ideas or needs with moderate difficulty (needs prompting or assistance, errors in
				word choice, organization or speech intelligibility). Speaks in phrases or short sentences.
[3	-	
_				guessing by listener. Speech limited to single words or short phrases.
[4	-	<u>Unable</u> to express basic needs even with maximal prompting or assistance but is not comatose or
	_	_		unresponsive (e.g., speech is nonsensical or unintelligible).
L		5	-	Patient nonresponsive or unable to speak.
(M0420)	Fred	uei	ncy of Pain interfering with patient's activity or movement:
` -	Ĺ	0	-	Patient has no pain (Go to M1070)
_	_	1		Patient has pain that does not interfere with activity or movement
	_			Less often than daily
	_			Daily, but not constantly
Ī	\exists			All of the time
-	_			
(M1050				epatient had a formal Pain Assessment using a standardized pain assessment tool (appropriate to ent's ability to verbalize severity of pain)?
[0	-	Yes, and it does not indicate severe or persistent pain
[Yes, and it indicates severe or persistent pain
[2	-	No assessment conducted.
(M1060				rervention: Is intervention to monitor and mitigate pain severity included in the care plan for this ealth episode of care?
Г				No
		_		Yes
-				
	i)	Pair	Int	if M1050 = "1" or if M0420 is greater than "1". servention: Have pain management steps been implemented to monitor and mitigate pain severity his home health episode of care?
[0	_	No
Ī		_		Yes
INTE	Gl	JMI	<u>EN</u>	TARY STATUS
(M1070	-	Pres Ulc		e Ulcer Assessment: Was this patient assessed for the Risk of Developing Pressure?
Γ		1	_	No
Ī				Yes, using a standardized tool
				Yes, using a clinical evaluation
(3.50.4.40				· · · · ·
` [0	-	nis patient have a high Risk of Developing Pressure Ulcers? No (Skip M1072 at SOC/ROC; Skip M1073 at F/T/D) Yes
(W1072	- 1	redis	strib	e Ulcer Prevention: Is there a plan for relieving pressure (using a pressure-relieving or uting device such as an enhanced mattress or overlay, or instructing the patient/caregiver in other is to reduce pressure)?
				No
_				Yes

(M1073) Pressure Ulcer Prevention: Was the redistributing device such as an enhancement of reduce pressure)?		•			.	,					_	her
□ 0 - No □ 1 - Yes												
(M0447) Current Number of Stage I Pressul usually over a bony prominence. The adjacent tissue.):	e are	a may		ainfu								
(M0448) Does this patient have at least one u					alized) F	Pressu	ıre Ul	cer a	t Stag	je II o	r higher	or
designated as "not stageable"? ☐ 0 - No [If No, go to M0465]												
☐ 1 - Yes (M0452) Current Number of Unhealed (non-	enith.	elializ	ed) F	Press	ure Ulce	ers at l	Fach	Stan	a. (C	ircle (ne resn	onse
for each line.)	•		,						,			
Stage description – unhealed pressure ulcers			esent		d pressu	re					during se t SOC/R	
 a. Stage II: Partial thickness skin loss – shallow open ulcer with red/pink wound bed without slough, or blister. 												
i. Total currently present	0	1	2	3	4 or more		0	1	2	3	4 or more	
ii. Currently present and known to be present for at least 30 days	0	1	2	3	4 or more		0	1	2	3	4 or more	
b. Stage III: Full thickness skin lossno exposure of bone, tendon, or muscle	0	1	2	3	4 or more	UK	0	1	2	3	4 or more	UK
c. Stage IV: Full thickness tissue loss with exposed bone, tendon or muscle.	0	1	2	3	4 or more	UK	0	1	2	3	4 or more	UK
d. Known or likely but not stageable due to non-removable dressing or cast	0	1	2	3	4 or more	UK	0	1	2	3	4 or more	UK
e. Known but not stageable due to coverage of wound bed by slough and/or eschar.	0	1	2	3	4 or more	UK	0	1	2	3	4 or more	UK
f. Suspected deep tissue injury in evolution.) – No) [l 1 – `	Yes \square	UK		– No		1 – \	∕es □	UK
Directions for M0454 and M0456: If the patie pressure ulcers, identify the pressure ulcer w ith											II or IV	
(M0454) Pressure Ulcer Length: Longest le (M0456) Pressure Ulcer Width: Width of the length . (cm)	_							, ,	d at ri	ght a	ngles to	
(M0461) Status of Most Problematic (Observation)	rvabl	e) Pro	essur	e Ulo	er:							
 □ 0 - Re-epithelialized or healed □ 1 - Fully granulating □ 2 - Early/partial granulation □ 3 - Not healing □ NA - No observable pressure ulc 	er											
(M0465) [If patient has no pressure ulcers (M0 Problematic (Observable) Pressure			and N	Л044	8 = "0", s	skip to	M046	9] S f	age	of Mo	st	
☐ 1 - Stage I ☐ 2 - Stage II ☐ 3 - Stage III ☐ 4 - Stage IV ☐ NA - No observable pressure ulc	er											

designated as "not stageable", regardless of whether eschar is present. (M1080) Pressure Ulcer Intervention: If the patient has an open Stage II or higher pressure ulcer or a pressure ulcer that is designated as "not stageable", are moisture retentive dressings specified on the plan of care? 0 - No ☐ 1 - Yes □ 2 -Moisture retentive dressings not indicated for this patient. (M1085) Pressure Ulcer Intervention: If the patient had one or more open Stage II or higher pressure ulcers, were moisture retentive dressings used? 0 - No Yes 2 - Moisture retentive dressings not indicated for this patient (M0469) Does this patient have a Stasis Ulcer? 0 - No [If No, go to M0483] Yes, patient has one or more (observable) stasis ulcers. 2 - Stasis ulcer known or likely but not observable due to non-removable dressing [Go to M0483] (M0470) Current Number of (Observable) Stasis Ulcer(s): 0 - Zero 1 - One □ 2 - Two □ 3 -Three ☐ 4 - Four or more (M0478) [At follow-up, skip to M0483 if patient has no stasis ulcers] Status of Most Problematic (Observable) Stasis Ulcer: 0 - Re-epithelialized or healed ☐ 1 - Fully granulating ☐ 2 - Early/partial granulation ☐ 3 - Not healing ☐ NA - No observable stasis ulcer (M0483) Does this patient have a Surgical Wound? 0 - No [If No, go to M0489] 1 - Yes, patient has at least one (observable) surgical wound 2 - Surgical wound known or likely but not observable due to non-removable dressing. [Go to M0489] (M0487) [At follow-up, skip to M0489 if patient has no surgical wounds] Status of Most Problematic (Observable) Surgical Wound: 0 - Re-epithelialized or healed Fully granulating 2 - Early/partial granulation ☐ 3 - Not healing ☐ NA - No observable surgical wound (M0489) Does this patient have a Skin Lesion or Open Wound, excluding bowel ostomy, other than those described above that is receiving clinical intervention? 0 - No □ 1 - Yes

Complete M1080 if patient has an open Stage II or higher pressure ulcer or a pressure ulcer that is

Complete	e M1090 or M1095 if patient has a diagnosis of diabetes.
	Foot Care Education: Does the care plan include patient education on both proper foot care and regular monitoring for the presence of skin lesions on the lower extremities?
	0 - No 1 - Yes NA - Bilateral amputee
(M1095)	Foot Care Plan Follow-up: Was the care plan regarding patient education and regular monitoring of foot care followed?
	0 - No 1 - Yes NA - Bilateral amputee
RESPI	RATORY STATUS
	When is the patient dyspneic or noticeably Short of Breath ?
	 0 - Patient is not short of breath 1 - When walking more than 20 feet, climbing stairs 2 - With moderate exertion (e.g., while dressing, using commode or bedpan, walking distances less than 20 feet)
	 3 - With minimal exertion (e.g., while eating, talking, or performing other ADLs) or with agitation 4 - At rest (during day or night)
(M0500)	Respiratory Treatments utilized at home: (Mark all that apply.)
	 1 - Oxygen (intermittent or continuous) 2 - Ventilator (continually or at night) 3 - Continuous positive airway pressure 4 - None of the above
<u>CARDI</u>	AC STATUS
=	e M1102 (or M1105) & M1110 if patient has a diagnosis of heart failure .
	Symptoms of Volume Overload: Does the patient exhibit symptoms of volume overload indicated by clinical heart failure guidelines (including dyspnea, orthopnea, edema, or weight gain)?
	1 - Yes (Complete Item M1110)
	Symptoms of Volume Overload: Did the patient exhibit symptoms of volume overload indicated by clinica heart failure guidelines (including dyspnea, orthopnea, edema, or weight gain) at any point since the initial assessment?
	0 - No (Skip Item M1110) 1 - Yes (Complete Item M1110) 2 - Not assessed. (Skip Item M1110)
(M1110)	Volume Overload Follow-up: What action has been taken to respond to symptoms of volume overload?
	 0 - No action taken 1 - Patient's physician (or other primary care practitioner) contacted the same day, or patient advised to get emergency treatment (call 911 or go to emergency room)
	2 - Other action taken
ELIMIN	ATION STATUS
(M0510)	Has this patient been treated for a Urinary Tract Infection in the past 14 days?
	0 - No 1 - Yes NA - Patient on prophylactic treatment UK - Unknown

(M052	0)	Urinary	Incontinence or Urinary Catheter Presence:
		0 - 1 -	No incontinence or catheter (includes anuria or ostomy for urinary drainage) [If No, go to M0540] Patient is incontinent
		2 -	Patient requires a urinary catheter (i.e., external, indwelling, intermittent, suprapubic) [Go to M0540]
(M053	0)	When d	loes Urinary Incontinence occur?
		0 -	Timed-voiding defers incontinence
			During the night only
		2 -	
(M054	0)	Bowel I	ncontinence Frequency:
		0 -	Very rarely or never has bowel incontinence
		1 -	Less than once weekly
		2 -	One to three times weekly
			Four to six times weekly
			On a daily basis
			More often than once daily
			Patient has ostomy for bowel elimination
	Ш	UK -	Unknown
(M055	-	last 14 d	y for Bowel Elimination: Does this patient have an ostomy for bowel elimination that (within the days): a) was related to an inpatient facility stay, <u>or</u> b) necessitated a change in medical or nt regimen?
		0 -	Patient does <u>not</u> have an ostomy for bowel elimination.
		1 -	Patient's ostomy was <u>not</u> related to an inpatient stay and did <u>not</u> necessitate change in medical or
	_	_	treatment regimen.
	Ш	2 -	The ostomy <u>was</u> related to an inpatient stay or <u>did</u> necessitate change in medical or treatment regimen.
			regimen.
<u>NEU</u>	RC)/EMO	OTIONAL/BEHAVIORAL STATUS
	0)	Cogniti	
	0)	Cognition	TIONAL/BEHAVIORAL STATUS ve Functioning: (Patient's current level of alertness, orientation, comprehension, concentration,
	0)	Cognition	ve Functioning: (Patient's current level of alertness, orientation, comprehension, concentration, nediate memory for simple commands.) Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently. Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions.
	o)	Cogniti and imm 0 - 1 - 2 -	ve Functioning: (Patient's current level of alertness, orientation, comprehension, concentration, nediate memory for simple commands.) Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently. Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions. Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility.
	o)	Cogniti and imn 0 - 1 - 2 - 3 -	ve Functioning: (Patient's current level of alertness, orientation, comprehension, concentration, nediate memory for simple commands.) Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently. Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions. Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility. Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time.
	o)	Cogniti and imm 0 - 1 - 2 -	ve Functioning: (Patient's current level of alertness, orientation, comprehension, concentration, nediate memory for simple commands.) Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently. Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions. Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility. Requires considerable assistance in routine situations. Is not alert and oriented or is unable to
(M056	0)	Cogniti and imn 0 - 1 - 2 - 3 - 4 -	ve Functioning: (Patient's current level of alertness, orientation, comprehension, concentration, nediate memory for simple commands.) Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently. Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions. Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility. Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time. Totally dependent due to disturbances such as constant disorientation, coma, persistent
(M056	0)	Cogniti and imn 0 - 1 - 2 - 3 - 4 -	ve Functioning: (Patient's current level of alertness, orientation, comprehension, concentration, nediate memory for simple commands.) Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently. Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions. Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility. Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time. Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium.
(M056	0)	Cogniti and imm 0 - 1 - 2 - 3 - 4 -	ve Functioning: (Patient's current level of alertness, orientation, comprehension, concentration, nediate memory for simple commands.) Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently. Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions. Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility. Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time. Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium. Confused (Reported or Observed):
(M056	0)	Cogniti and imm	ve Functioning: (Patient's current level of alertness, orientation, comprehension, concentration, nediate memory for simple commands.) Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently. Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions. Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility. Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time. Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium. Confused (Reported or Observed): Never
(M056	0)	Cogniti and imm 0 - 1 - 2 - 3 - 4 - When C 0 - 1 - 2 - 3 - 3 -	ve Functioning: (Patient's current level of alertness, orientation, comprehension, concentration, nediate memory for simple commands.) Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently. Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions. Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility. Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time. Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium. Confused (Reported or Observed): Never In new or complex situations only On awakening or at night only During the day and evening, but not constantly
(M056	o)	Cogniti and imm 0 - 1 - 2 - 3 - 4 - When C 0 - 1 - 2 - 3 - 3 -	ve Functioning: (Patient's current level of alertness, orientation, comprehension, concentration, nediate memory for simple commands.) Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently. Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions. Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility. Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time. Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium. Confused (Reported or Observed): Never In new or complex situations only On awakening or at night only
(M056	o)	Cogniti and imm 0 - 1 - 2 - 3 - 4 - When C 1 - 2 - 3 - 4 - 4 - 4 -	ve Functioning: (Patient's current level of alertness, orientation, comprehension, concentration, nediate memory for simple commands.) Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently. Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions. Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility. Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time. Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium. Confused (Reported or Observed): Never In new or complex situations only On awakening or at night only During the day and evening, but not constantly
(M056	o)	Cogniti and imm 0 - 1 - 2 - 3 - 4 - When C 0 - 1 - 2 - 3 - 4 - NA -	ve Functioning: (Patient's current level of alertness, orientation, comprehension, concentration, nediate memory for simple commands.) Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently. Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions. Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility. Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time. Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium. Confused (Reported or Observed): Never In new or complex situations only On awakening or at night only During the day and evening, but not constantly Constantly
(M056	o)	Cogniti and imm 0 - 1 - 2 - 3 - 4 - When C 0 - 1 - 2 - 3 - 4 - NA -	ve Functioning: (Patient's current level of alertness, orientation, comprehension, concentration, nediate memory for simple commands.) Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently. Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions. Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility. Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time. Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium. Confused (Reported or Observed): Never In new or complex situations only On awakening or at night only During the day and evening, but not constantly Constantly Patient nonresponsive
(M056	o	Cogniti and imm 0 - 1 - 2 - 3 - 4 - When C 0 - 1 - 2 - 3 - 4 - NA - When A 0 -	ve Functioning: (Patient's current level of alertness, orientation, comprehension, concentration, nediate memory for simple commands.) Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently. Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions. Requires prompting (cuing, repetition in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility. Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time. Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium. Confused (Reported or Observed): Never In new or complex situations only On awakening or at night only During the day and evening, but not constantly Constantly Patient nonresponsive Anxious (Reported or Observed):
(M056	o	Cogniti and imm 0 - 1 - 2 - 3 - 4 - When C 0 - 1 - 2 - 3 - 4 - NA - When A 0 -	ve Functioning: (Patient's current level of alertness, orientation, comprehension, concentration, nediate memory for simple commands.) Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently. Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions. Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility. Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time. Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium. Confused (Reported or Observed): Never In new or complex situations only On awakening or at night only During the day and evening, but not constantly Constantly Patient nonresponsive unxious (Reported or Observed): None of the time Less often than daily
(M056	6	Cogniti and imm 0 - 1 - 2 - 3 - 4 - When C 1 - 2 - 3 - 4 - NA - When A 0 - 1 - 2 - 1 - 2 -	ve Functioning: (Patient's current level of alertness, orientation, comprehension, concentration, nediate memory for simple commands.) Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently. Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions. Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility. Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time. Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium. Confused (Reported or Observed): Never In new or complex situations only On awakening or at night only During the day and evening, but not constantly Constantly Patient nonresponsive Anxious (Reported or Observed): None of the time Less often than daily

(M0590)	Depress	sive Symptoms Reported or Observed in Patient: (Mark all that apply.)
	1 - 2 - 3 - 4 - 5 - 6 - 7 -	Depressed mood (e.g., feeling sad, tearful) Sense of failure or self reproach Hopelessness Recurrent thoughts of death Thoughts of suicide Other signs or symptoms None of the above feelings observed or reported (Go to M0610)
(M1120)	Depress screening	sion Screening: Has the patient been screened for depression, using a standardized depression ng tool?
	0 - 1 - 2 -	No Yes, and the patient displays no current symptoms of depression. (Go to M0610) Yes, and the patient displays some symptoms of depression.
(M1130)		sion Intervention/Referral: Is intervention for symptoms of depression or referral for other nt or a monitoring plan for current treatment included in the care plan for this home health episode
	0 - 1 - 2 -	No New intervention or referral initiated. Monitoring plan for patient already on treatment.
(M0610)	Behavio	ors Demonstrated at Least Once a Week (Reported or Observed): (Mark all that apply.)
	1 - 2 - 3 - 4 - 5 - 6 - 7 -	Memory deficit: failure to recognize familiar persons/places, inability to recall events of past 24 hours, significant memory loss so that supervision is required Impaired decision-making: failure to perform usual ADLs or IADLs, inability to appropriately stop activities, jeopardizes safety through actions Verbal disruption: yelling, threatening, excessive profanity, sexual references, etc. Physical aggression: aggressive or combative to self and others (e.g., hits self, throws objects, punches, dangerous maneuvers with wheelchair or other objects) Disruptive, infantile, or socially inappropriate behavior (excludes verbal actions) Delusional, hallucinatory, or paranoid behavior None of the above behaviors demonstrated
(M0620)		ncy of Behavior Problems (Reported or Observed) (e.g., wandering episodes, self abuse, verbal on, physical aggression, etc.):
	0 - 1 - 2 - 3 - 4 - 5 -	Never Less than once a month Once a month Several times each month Several times a week At least daily
(M0630)	Is this pa	atient receiving Psychiatric Nursing Services at home provided by a qualified psychiatric nurse?
	0 - 1 -	No Yes

ADL/IADLs

(M064	2) Grooming: Current ability to tend to personal hygiene needs (i.e., washing face and hands, hair care, shaving or make up, teeth or denture care, fingernail care).				
		1 - 2 -	Able to groom self unaided, with or without the use of assistive devices or adapted methods. Grooming utensils must be placed within reach before able to complete grooming activities. Someone must assist the patient to groom self. Patient depends entirely upon someone else for grooming needs.		
(M065			Ability to Dress <u>Upper</u> Body (with or without dressing aids) including undergarments, pullovers, ening shirts and blouses, managing zippers, buttons, and snaps:		
		0 -	Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance.		
		2 -	Able to dress upper body without assistance if clothing is laid out or handed to the patient. Someone must help the patient put on upper body clothing. Patient depends entirely upon another person to dress the upper body.		
(M066			Ability to Dress <u>Lower</u> Body (with or without dressing aids) including undergarments, slacks, r nylons, shoes:		
			Able to obtain, put on, and remove clothing and shoes without assistance. Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient.		
		2 - 3 -			
(M067		Bathing only).	: Current ability to wash entire body <u>SAFELY</u> . <u>Excludes</u> grooming (washing face and hands		
			Able to bathe self in <u>shower or tub</u> independently, including getting in and out of tub/shower. With the use of devices, is able to bathe self in shower or tub independently, including getting in		
			and out of the tub/shower.		
		2 -	Able to bathe in shower or tub with the assistance of another person: (a) for intermittent supervision or encouragement or reminders, <u>OR</u> (b) to get in and out of the shower or tub, <u>OR</u> (c) for washing difficult to reach areas.		
		3 -			
		4 -	Able to bath self independently or with the use of devices in chair, or on commode, but unable to use the shower or tub.		
		5 -	Able to participate in bathing self in bed, bedside chair, or on commode, but requires presence of another person throughout the bath for assistance or supervision and is unable to use the shower or tub.		
		6 -	Unable to effectively participate in bathing and is totally bathed by another person.		
(M068		transfer	ransferring: Current ability to get to and from the toilet or bedside commode <u>SAFELY</u> , including ring on and off toilet/commode.		
			Able to get to and from the toilet and transfer independently with or without a device. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer.		
		2 -	<u>Unable</u> to get to and from the toilet but is able to use a bedside commode (with or without assistance).		
		3 -	<u>Unable</u> to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently.		
		4 -	Is totally dependent in toileting.		
(M068			g Hygiene: Current ability to maintain perineal hygiene, adjust clothes before and after using toilet, de, bedpan, urinal. If managing ostomy, include wiping opening but not managing equipment.		
		0 - 1 -	Able to manage toileting hygiene without assistance. Able to manage toileting without assistance if hygiene supplies/implements are laid out for the patient.		
		2 - 3 -	Someone must help the patient to maintain hygiene or adjust clothing.		

(10069)		patient is bedfast.			
		0 1 2 3 4 5	- - -	Able to independently transfer. Able to transfer with minimal human assistance or with use of an assistive device. <u>Unable</u> to transfer self but is able to bear weight and pivot during the transfer process. Unable to transfer self and is <u>unable</u> to bear weight or pivot when transferred by another person. Bedfast, unable to transfer but is able to turn and position self in bed. Bedfast, unable to transfer and is <u>unable</u> to turn and position self.	
(M070				tion/Locomotion: Ability to <u>SAFELY</u> walk, once in a standing position, or use a wheelchair, once ed position, on a variety of surfaces.	
		0		Able to independently walk on even and uneven surfaces and climb stairs with or without railings (i.e., needs no human assistance or assistive device). With the use of a cane, able to independently walk on even and uneven surfaces and climb stairs	
		2	-	with or without railings. Requires use of a walker or crutches to walk alone on a level surface or requires human	
		4 5	-	supervision or assistance to negotiate stairs or steps or uneven surfaces. Able to walk only with the supervision or assistance of another person at all times. Chairfast, <u>unable</u> to ambulate but is able to wheel self independently. Chairfast, unable to ambulate and is <u>unable</u> to wheel self. Bedfast, unable to ambulate or be up in a chair.	
(M071		<u>eatin</u>	<u>g</u> , <u>c</u>	or Eating: Current ability to feed self meals and snacks. Note: This refers only to the process of hewing , and swallowing , not preparing the food to be eaten.	
				Able to independently feed self.	
		1	-	Able to feed self independently but requires: (a) meal set-up; OR (b) intermittent assistance or supervision from another person; OR (c) a liquid, pureed or ground meat diet.	
		2		<u>Unable</u> to feed self and must be assisted or supervised throughout the meal/snack. Able to take in nutrients orally <u>and</u> receives supplemental nutrients through a nasogastric tube or gastrostomy.	
				<u>Unable</u> to take in nutrients orally and is fed nutrients through a nasogastric tube or gastrostomy. Unable to take in nutrients orally or by tube feeding.	
(M071				in Mobility: Is the patient's ability to transferring and/or ambulate more impaired better or worse as before the onset of the illness or injury that initiated this episode of care?	
		0		Patient at least as able to transfer and ambulate now as s/he was before the onset of the illness or injury that initiated this episode of care.	
				Patient is less able to transfer and ambulate now than before the onset of the illness or injury that initiated this episode of care.	
	Ш	UK	-	Unknown	
(M071	-		ng)	in Self-care Ability: Is the patient's ability to perform self-care activities (grooming, dressing, and better or worse than it was before the onset of the illness or injury that initiated this episode of	
		0	-	Patient is at least as able to perform self-care activities now as s/he was before the onset of the illness or injury that initiated this episode of care.	
		1		Patient is less able to perform self-care activities now than before the onset of the illness or injury that initiated this episode of care.	
		UK	-	Unknown	
(M072	2)	Curre	ent l	Planning and Preparing Light Meals (e.g., cereal, sandwich) or reheat delivered meals:	
		0	-	(a) Able to independently plan and prepare all light meals for self or reheat delivered meals; <u>OR</u>(b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the past (i.e., prior to this home care admission).	
		1 2		<u>Unable</u> to prepare light meals on a regular basis due to physical, cognitive, or mental limitations. Unable to prepare any light meals or reheat any delivered meals.	

(M074	2)		 Current ability to do own laundry to carry laundry to and from washing machine, to use washer to wash small items by hand.
		0 -	 (a) Able to independently take care of all laundry tasks; <u>OR</u> (b) Physically, cognitively, and mentally able to do laundry and access facilities, <u>but</u> has not routinely performed laundry tasks in the past (i.e., prior to this home care admission).
		1 -	Able to do only light laundry, such as minor hand wash or light washer loads. Due to physical, cognitive, or mental limitations, needs assistance with heavy laundry such as carrying large loads of laundry.
		2 -	<u>Unable</u> to do any laundry due to physical limitation or needs continual supervision and assistance due to cognitive or mental limitation.
(M075		Housek tasks.	eeping: Current ability to safely and effectively perform light housekeeping and heavier cleaning
		0 -	 (a) Able to independently perform all housekeeping tasks; <u>OR</u> (b) Physically, cognitively, and mentally able to perform <u>all</u> housekeeping tasks but has not routinely participated in housekeeping tasks in the past (i.e., prior to this home care admission).
		1 -	Able to perform only <u>light</u> housekeeping (e.g., dusting, wiping kitchen counters) tasks independently.
		2 -	Able to perform housekeeping tasks with intermittent assistance or supervision from another person.
		3 -	<u>Unable</u> to consistently perform any housekeeping tasks unless assisted by another person throughout the process.
		4 -	Unable to effectively participate in any housekeeping tasks.
(M076		Shoppir delivery.	ng: Ability to plan for, select, and purchase items in a store and to carry them home or arrange
		0 -	 (a) Able to plan for shopping needs and independently perform shopping tasks, including carrying packages; <u>OR</u> (b) Physically, cognitively, and mentally able to take care of shopping, but has not done shopping in the past (i.e., prior to this home care admission).
		1 -	Able to go shopping, but needs some assistance: (a) By self is able to do only light shopping and carry small packages, but needs someone to do occasional major shopping; <u>OR</u> (b) <u>Unable</u> to go shopping alone, but can go with someone to assist.
		2 -	<u>Unable</u> to go shopping, but is able to identify items needed, place orders, and arrange home delivery.
		3 -	Needs someone to do all shopping and errands.
(M077	2)		o Use Telephone: Current ability to answer the phone, dial numbers, and <u>effectively</u> use the le to communicate.
			Able to dial numbers and answer calls appropriately and as desired. Able to use a specially adapted telephone (i.e., large numbers on the dial, teletype phone for the deaf) and call essential numbers.
		2 -	Able to answer the telephone and carry on a normal conversation but has difficulty with placing calls.
		3 -	Able to answer the telephone only some of the time or is able to carry on only a limited conversation.
			<u>Unable</u> to answer the telephone at all but can listen if assisted with equipment. Totally unable to use the telephone.
		NA -	Patient does not have a telephone.
(M077	5)	househo	in Ability to Perform Routine Household Tasks: Is the patient's ability to perform routine old tasks (light housekeeping, light meal preparation, laundry) better or worse now than it was no enset of the illness or injury that initiated this episode of care?
		0 -	Patient is at least as able to perform routine household tasks now as s/he was before the onset of the illness or injury that initiated this episode of care.
		1 –	Patient is less able to perform routine household tasks now than before the onset of the illness or injury that initiated this episode of care.
		UK –	Unknown

(W1114	Has this patient had a multi-factor Fall RISK Assessment (such as falls history, use of multiple medications, mental impairment, toileting frequency, general mobility/transferring impairment, environmental hazards)?			
		 Yes, and it does not indicate a moderate or high risk for falls. (Skip Item M1150) Yes, and it indicates a moderate or high risk for falls. (Complete Item M1150) No multi-factor falls risk assessment conducted. (Skip Item M1150) 		
(M115		Falls Risk Intervention: Is intervention to mitigate the risk of falls included in the care plan for this home health episode of care?		
		0 - No 1 - Yes		
Comp	lete	e M1155 if previous falls risk assessment indicates the presence or significant risk factors for falls.		
(M115	-	Falls Risk Intervention: Have fall prevention steps been implemented for this home health episode of care?		
		0 - No 1 - Yes		
MED	IC	ATIONS .		
(M116	•	Potential Adverse Effects/Reaction: Does a complete drug regimen review indicate potential clinically significant adverse effects or drug reactions, including ineffective drug therapy, side effects, drug interactions, duplicate therapy, omissions, dosage errors, or noncompliance?		
		 0 - No (Skip Item M1170) 1 - Yes (Complete Item M1170) 2 - Not assessed (Skip Item M1170) 		
(M117		Medication Follow-up: Was the patient's physician (or other primary care practitioner) contacted within one calendar day to resolve clinically significant medication issues?		
		0 - No 1 - Yes		
(M118		Patient/Caregiver Drug Education: Has the patient/caregiver been instructed to monitor the effectiveness of drug therapy and potential adverse effects, and how and when to report problems that may occur?		
	_	0 - No 1 - Yes		
(M078		Management of Oral Medications: <u>Patient's current ability</u> to prepare and take <u>all</u> prescribed oral medications reliably and safely, including administration of the correct dosage at the appropriate times/intervals. <u>Excludes</u> injectable and IV medications. (NOTE: This refers to ability, not compliance or willingness.)		
		 Able to independently take the correct oral medication(s) and proper dosage(s) at the correct times. 		
		 1 - Able to take medication(s) at the correct times if: (a) individual dosages are prepared in advance by another person; <u>OR</u> (b) given daily reminders; <u>OR</u> (c) someone develops a drug diary or chart. 		
		 2 - <u>Unable</u> to take medication unless administered by someone else. NA - No oral medications prescribed. 		
(M079		Management of Inhalant/Mist Medications: Patient's current ability to prepare and take all prescribed inhalant/mist medications (nebulizers, metered dose devices, oxygen) reliably and safely, including administration of the correct dosage at the appropriate times/intervals. Excludes all other forms of medication (oral tablets, injectable and IV medications).		
		 O - Able to independently take the correct medication and proper dosage at the correct times. 1 - Able to take medication at the correct times if: (a) individual dosages are prepared in advance by another person, <u>OR</u> 		
		 (b) given daily reminders. 2 - <u>Unable</u> to take medication unless administered by someone else. NA - No inhalant/mist medications prescribed. 		

(INIU8U	-) Management of Injectable Medications: Patient's current ability to prepare and take all prescribed injectable medications reliably and safely, including administration of correct dosage at the appropriate times/intervals. Excludes IV medications.				
		0	-	Able to independently take the correct medication and proper dosage at the correct times.		
		1	-	Able to take injectable medication at correct times if: (a) individual syringes are prepared in advance by another person, <u>OR</u> (b) given daily reminders.		
		2	-	<u>Unable</u> to take injectable medications unless administered by someone else.		
		NA	-	No injectable medications prescribed.		
(M080	M0805) Change in Ability to Manage Oral, Inhalant, or Injectable Medications: Is the patient's ability to prepare and take all prescribed medications (oral and, if applicable, inhalant or injectable medications reliably and safely (including administration of the correct dosage at the appropriate times/intervals.) or worse than before the onset of the illness or injury that initiated this episode of care?					
		0	-	Patient is at least as able to prepare and take all prescribed medications now than before the onset of the illness or injury that initiated this episode of care		
		1	-	Patient is less able to prepare and take all prescribed medications now than before the onset of the illness or injury that initiated this episode of care		
	П	ПИ		Unknown		
	ш	UK	_	Olkilowii		
	_					
EQU	<u>IPI</u>	ME Pati nutr mon clea	NT ent itio itor n/st	MANAGEMENT Management of Equipment (includes ONLY oxygen, IV/infusion therapy, enteral/parenteral n equipment or supplies, ventilator therapy equipment or supplies): Patient's ability to set up, and change equipment reliably and safely, add appropriate fluids or medication, ore/dispose of equipment or supplies using proper technique. (NOTE: This refers to ability, not ance or willingness.)		
EQU (M081	_ <u> P </u>) 	ME Pati nutr mon clea com	NT ent itio itor n/st nplia	MANAGEMENT Management of Equipment (includes ONLY oxygen, IV/infusion therapy, enteral/parenteral n equipment or supplies, ventilator therapy equipment or supplies): Patient's ability to set up, and change equipment reliably and safely, add appropriate fluids or medication, ore/dispose of equipment or supplies using proper technique. (NOTE: This refers to ability, not		
<u>EQU</u> (M081)		MEI Pati nutr mon clea com 0	NT ent itio itor n/st nplia -	MANAGEMENT Management of Equipment (includes ONLY oxygen, IV/infusion therapy, enteral/parenteral nequipment or supplies, ventilator therapy equipment or supplies): Patient's ability to set up, and change equipment reliably and safely, add appropriate fluids or medication, ore/dispose of equipment or supplies using proper technique. (NOTE: This refers to ability, not ance or willingness.) Patient manages all tasks related to equipment completely independently. If someone else sets up equipment (i.e., fills portable oxygen tank, provides patient with prepared solutions), patient is able to manage all other aspects of equipment.		
<u>EQU</u> (M0810		MEI Pati nutr mon clea com 0	NT ent itio itor n/st nplia -	Management of Equipment (includes ONLY oxygen, IV/infusion therapy, enteral/parenteral nequipment or supplies, ventilator therapy equipment or supplies): Patient's ability to set up, and change equipment reliably and safely, add appropriate fluids or medication, ore/dispose of equipment or supplies using proper technique. (NOTE: This refers to ability, not ance or willingness.) Patient manages all tasks related to equipment completely independently. If someone else sets up equipment (i.e., fills portable oxygen tank, provides patient with prepared		
<u>EQU</u> (M0810		MEI Pati nutr mon clea com 0 1	ent ritio itor n/st pplia	MANAGEMENT Management of Equipment (includes ONLY oxygen, IV/infusion therapy, enteral/parenteral nequipment or supplies, ventilator therapy equipment or supplies): Patient's ability to set up, and change equipment reliably and safely, add appropriate fluids or medication, ore/dispose of equipment or supplies using proper technique. (NOTE: This refers to ability, not ance or willingness.) Patient manages all tasks related to equipment completely independently. If someone else sets up equipment (i.e., fills portable oxygen tank, provides patient with prepared solutions), patient is able to manage all other aspects of equipment. Patient requires considerable assistance from another person to manage equipment, but		
<u>EQU</u> (M0810		Pati nutr mon clea com 0 1 2 3 4	ent itio itor n/st pplia - -	Management of Equipment (includes ONLY oxygen, IV/infusion therapy, enteral/parenteral nequipment or supplies, ventilator therapy equipment or supplies): Patient's ability to set up, and change equipment or supplies using proper technique. (NOTE: This refers to ability, not ance or willingness.) Patient manages all tasks related to equipment completely independently. If someone else sets up equipment (i.e., fills portable oxygen tank, provides patient with prepared solutions), patient is able to manage all other aspects of equipment. Patient requires considerable assistance from another person to manage equipment, but independently completes portions of the task. Patient is only able to monitor equipment (e.g., liter flow, fluid in bag) and must call someone else		

			(111111)		_			
		(M0823) Caregiver Assistance (If patient needs assistance, check one on each row)						
,	22) Type of Assistance needed atient needs assistance with (check all that apply)	Caregiver(s) provides	Caregiver(s) will need training and/or other supportive services	Caregiver(s) not likely to provide	Unclear if Caregiver(s) will provide	No Caregiver available		
a. 🗆	a. ADL assistance (e.g., transfer/ambulation, bathing, dressing, toileting, eating/feeding)	a1. 🗆	a2. □	а3. 🗆	a4. □	а5. 🗆		
b. 🗆	b. IADL assistance (e.g., meals, housekeeping, laundry, telephone, shopping, finances)	b1. □	b2. □	b3. □	b4. □	b5. □		
с. 🗆	c. Medication administration (e.g., oral, inhaled or injectable)	c1. □	c2. 🗆	с3. 🗆	c4. □	c5. 🗆		
d. 🗆	d. Medical procedures/ treatments (e.g., changing wound dressing)	d1. □	d2. □	d3. □	d4. □	d5. □		
e. 🗆	e. Management of Equipment (includes oxygen, IV/infusion equipment, enteral/parenteral nutrition, ventilator therapy equipment or supplies)	e1. 🗆	e2. 🗆	e3. 🗆	e4. □	e5. 🗆		
f. 🗆	f. Supervision and safety	f1. □	f2. 🗆	f3. 🗆	f4. □	f5. 🗆		
g. 🗆	g. Advocacy or facilitation of patient's participation in appropriate medical care (includes transportation to or from appointments)	g1. □	g2. □	g3. 🗆	g4. 🗆	g5. □		
h. 🗆	h. None of the above		I	·	l	l		
(M0824) How Often does the patient receive ADL or IADL assistance from any caregiver(s) (other than home health agency staff)? 1 - At least daily 2 - Two or more times per week 3 - One to two times per week 4 - Less often than weekly UK - Unknown*								
	* at discharge, omit unknown response.							
	·							
 THERAPY NEED (M0826) Therapy Need: In the home health plan of care for the Medicare payment episode for which this assessment will define a case mix group, what is the indicated need for therapy visits (total of reasonable and necessary physical, occupational, and speech-language pathology visits combined)? (Enter zero ["000"] if no therapy visits indicated.) () Number of therapy visits indicated (total of physical, occupational and speech-language pathology combined). 								

 $\hfill\square$ NA - Not Applicable: No case mix group defined by this assessment.

EMERGENT CARE (M0831) Emergent Care: Since the last time OASIS data were collected, has the patient utilized a hospital emergency department (includes holding/observation with or without hospital admission)? 0 - No [Go to M0855] 1 -Yes ☐ UK - Unknown [Go to *M0855*] (M0845) Reason for Emergent Care: For what reason(s) did the patient receive emergent care (with or without hospitalization)? (Mark all that apply.) 1 - Improper medication administration, medication side effects, toxicity, anaphylaxis Injury caused by fall or accident at home ☐ 3 - Respiratory infection (e.g. pneumonia, bronchitis) ☐ 3 - Other respiratory problem 5 - Heart failure (e.g., fluid overload) 6 - Cardiac dysrhythmia (irregular heartbeat) ☐ 7 - Myocardial infarction or chest pain ☐ 8 - Other heart disease ☐ 9 - Stroke (CVA) or TIA ☐ 10 - Hypo/Hyperglycemia, diabetes out of control ☐ 11 - Upper GI obstruction, constipation, impaction ☐ 12 - Dehydration, malnutrition ☐ 13 - Urinary tract infection ☐ 14 - IV catheter-related infection ☐ 15 - Wound infection or deterioration ☐ 16 - Uncontrolled pain ☐ 17 - Acute mental/behavioral health problem ☐ 18 - Deep vein thrombosis, pulmonary embolus ☐ 19 - Other than above reasons ☐ UK - Reason unknown DATA ITEMS COLLECTED AT INPATIENT FACILITY ADMISSION OR AGENCY **DISCHARGE ONLY** (M0855) To which Inpatient Facility has the patient been admitted? 1 - Hospital [Go to M0896] ☐ 2 - Rehabilitation facility [Go to M0903] ☐ 3 - Nursing home [**Go to** *M0900*] ☐ 4 - Hospice [Go to M0903] □ NA - No inpatient facility admission (M0870) Discharge Disposition: Where is the patient after discharge from your agency? (Choose only one

answer.)

1 - Patient remained in the community (not in hospital, nursing home, or rehab facility)

2 - Patient transferred to a non-institutional hospice

☐ 3 - Unknown because patient moved to a geographic location not served by this agency

☐ UK - Other unknown

[Go to M0903]

(M0890) If the patient was admitted to an acute care Hospital, for what Reason was he/she admitted?

1 - Hospitalization for emergent (unscheduled) care

☐ 2 - Hospitalization for <u>urgent</u> (scheduled within 24 hours of admission) care

□ 3 - Hospitalization for elective (scheduled more than 24 hours before admission) care

☐ UK - Unknown

(M0896)	Reason apply.)	for Hospitalization: For what reason(s) did the patient require hospitalization? (Mark all that
	1 - 2 - 3 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 15 - 16 - 17 - 18 - 19 -	Myocardial infarction or chest pain Other heart disease
Ц	UK - Go to M	
	For what 1 - 2 - 3 - 4 - 5 - 6 -	Therapy services Respite care Hospice care Permanent placement Unsafe for care at home Other Unknown
(M0903)	Date of	Last (Most Recent) Home Visit:
(M000c)		_///
(MOSOP)	patient.	rge/Transfer/Death Date: Enter the date of the discharge, transfer, or death (at home) of the _//