			PSYCHIATRIC REVIE	W TECHNIQUE			
Name)		SSN _				
NH (If different from above)				SSN	-		
l.		MEDICAL SUMMARY					
	A.	Asse	ssment is from:	to			
:	В.	Medic	cal Disposition(s):				
	1. No Medically Determinable Impairment						
		2.	☐ Impairment(s) Not Severe				
		3.	☐ Impairment(s) Severe But Not Expected to Las	t 12 Months			
		4.	Meets Listing		(Cite Listing)		
		5.	Equals Listing		(Cite Listing)		
		6.	RFC Assessment Necessary				
	7. Coexisting Nonmental Impairment(s) that Requires Referral to Another Medical Specialty						
	8. Insufficient Evidence						
	C.	Cated	gory(ies) Upon Which the Medical Disposition is	s Based:			
			☐ 12.02 Organic Mental Disorders				
	2. 12.03 Schizophrenic, Paranoid and Other Psychotic Disorders						
	3. 12.04 Affective Disorders						
	4. 12.05 Mental Retardation						
	5. 12.06 Anxiety-Related Disorders						
	6. 12.07 Somatoform Disorders						
		7.	☐ 12.08 Personality Disorders				
		8.	☐ 12.09 Substance Addiction Disorders				
		9.	■ 12.10 Autism and Other Pervasive Developme	ntal Disorders			
	☐ These findings complete the medical portion of the disability determination.						
MC/PC's Signature							
					Code		
MC/P	C's	s Printe	d Name				

	DOCUMENTATION OF FACTORS THAT EVIDENCE THE DISORDER						
A. 12.02 Organic Mental Disorders							
С	Psychological or behavioral abnormalities associated with a dysfunction of the brain as evidenced by at least one of the following:						
	1. Disorientation to time and place						
	2. Memory impairment						
	3. Perceptual or thinking disturbances						
	4. Change in personality						
	5. Disturbance in mood						
	6. Emotional lability and impairment in impulse control						
	7. Loss of measured intellectual ability of at least 15 IQ points from premorbid levels or overall impairment index clearly within the severely impaired range on neuropsychological testing, e.g., the Luria-Nebraska, Halstead-Reitan, etc.						
	A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above Disorder						
	Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:						
1							

B. 12.03 Schizophrenic, Paranoid and Other Psychotic Disorders
Psychotic features and deterioration that are persistent (continuous or intermittent), as evidenced by at least one of the following:
1. Delusions or hallucinations
2. Catatonic or other grossly disorganized behavior
3. Incoherence, loosening of associations, illogical thinking, or poverty of content of speech if associated with one of the following:
a. Blunt affect, or
b.
c. Inappropriate affect
4.
A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above Disorder Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:
Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).

C. 12.04 Affective Disorders
☐ Disturbance of mood, accompanied by a full or partial manic or depressive syndrome, as evidenced by at least one of the following:
1. Depressive syndrome characterized by at least four of the following:
a. Anhedonia or pervasive loss of interest in almost all activities, or
b. Appetite disturbance with change in weight, or
c. Sleep disturbance, or
d. Psychomotor agitation or retardation, or
e. Decreased energy, or
f. Feelings of guilt or worthlessness, or
g. Difficulty concentrating or thinking, or
h. Thoughts of suicide, or
i. Hallucinations, delusions or paranoid thinking
2. Manic syndrome characterized by at least three of the following:
a. Hyperactivity, or
b. Pressures of speech, or
c. Flight of ideas, or
d. Inflated self-esteem, or
e. Decreased need for sleep, or
f. Easy distractibility, or
g. Involvement in activities that have a high probability of painful consequences which are not recognized, or
h. Hallucinations, delusions or paranoid thinking
3. Bipolar syndrome with a history of episodic periods manifested by the full symptomatic picture of both manic and depressive syndromes (and currently characterized by either or both syndromes)
A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above
Disorder
Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment (explain in Part IV, Consultant's Notes, if necessary):
☐ Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).

D. 12.05 Mental Retardation
☐ Significantly subaverage general intellectual functioning with deficits in adaptive functioning initially manifested during the developmental period; i.e., the evidence demonstrates or supports onset of the impairment before age 22, with one of the following:
1. Mental incapacity evidenced by dependence upon others for personal needs (e.g., toileting, eating, dressing, or bathing) and inability to follow instructions such that the use of standardized measures of intellectual functioning is precluded*
2. A valid verbal, performance, or full scale IQ of 59 or less*
3. A valid verbal, performance, or full scale IQ of 60 through 70 and a physical or other mental impairment imposing an additional and significant work-related limitation of function*
4. A valid verbal, performance, or full scale IQ of 60 through 70*
☐ A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above
Disorder
Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:
*NOTE: Items 1, 2, 3, and 4 correspond to listings 12.05A, 12.05B, 12.05C, and 12.05D, respectively.
Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).

E. 12.06 Anxiety-Related Disorders
Anxiety as the predominant disturbance or anxiety experienced in the attempt to master symptoms, as evidenced by at least one of the following:
Generalized persistent anxiety accompanied by three of the following:
a. Motor tension, or
b. Autonomic hyperactivity, or
c. Apprehensive expectation,
d. Vigilance and scanning
2. A persistent irrational fear of a specific object, activity or situation which results in a compelling desire to avoid the dreaded object, activity, or situation
3. Recurrent severe panic attacks manifested by a sudden unpredictable onset of intense apprehension fear, terror, and sense of impending doom occurring on the average of at least once a week
4. Recurrent obsessions or compulsions which are a source of marked distress
5. Recurrent and intrusive recollections of a traumatic experience, which are a source of marked distress
A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above. Disorder
Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:
Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).

F. 12.07 Somatoform Disorders
Physical symptoms for which there are no demonstrable organic findings or known physiological mechanisms, as evidenced by at least one of the following:
1. A history of multiple physical symptoms of several years duration beginning before age 30, that have caused the individual to take medicine frequently, see a physician often and alter life patterns significantly
2. Persistent nonorganic disturbance of one of the following:
a. 🔲 Vision, or
b. Speech,or
c. Hearing, or
d. Use of a limb, or
e. Movement and its control (e.g., coordination disturbances, psychogenic seizures, akinesia, dyskinesia), or
f. Sensation (e.g., diminished or heightened)
3. Unrealistic interpretation of physical signs or sensations associated with the preoccupation or belief that one has a serious disease or injury
A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above. Disorder
Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:
Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).

G. 12.08 Personality Disorders
Inflexible and maladaptive personality traits which cause either significant impairment in social or occupational functioning or subjective distress, as evidenced by at least one of the following:
1. Seclusiveness or autistic thinking
2. Pathologically inappropriate suspiciousness or hostility
3. Oddities of thought, perception, speech and behavior
4. Persistent disturbances of mood or affect
5. Pathological dependence, passivity, or aggressivity
6. Intense and unstable interpersonal relationships and impulsive and damaging behavior
A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above Disorder
Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:
Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).

H. 12.09 Substance Addiction Disorders
☐ Behavioral changes or physical changes associated with the regular use of substances that affect the central nervous system.
If present, evaluate under one or more of the most closely applicable listings:
1. Listing 12.02-Organic mental disorders*
2. Listing 12.04-Affective disorders*
3. Listing 12.06-Anxiety-related disorders*
4. ☐ Listing 12.08-Personality disorders*
5. Listing 11.14-Peripheral neuropathies*
6. ☐ Listing 5.05-Liver damage*
7. Listing 5.04-Gastritis*
8. Listing 5.08-Pancreatitis*
9. Listing 11.02 or 11.03-Seizures*
A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above. Disorder
Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:
·
· ·
Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).
*NOTE: Items 1,2,3,4,5,6,7,8, and 9 correspond to listings 12.09A, 12.09B, 12.09C, 12.09D, 12.09E, 12.09F, 12.09G, 12.

*NOTE: Items 1,2,3,4,5,6,7,8, and 9 correspond to listings 12.09A, 12.09B, 12.09C, 12.09D, 12.09E, 12.09F, 12.09G, 12.09H, and 12.09I, respectively. If items 1, 2, 3, or 4 are checked, only the numbered items in subsections IIA, IIC, IIE, or IIG of the form need be checked. The first block under the disorder heading in those subsections should not be checked, unless the evidence substantiates the presence of the disorder separate from the substance addiction disorder.

I. 12.10 Autistic Disorder and Other Pervasive Developmental Disorders
Qualitative deficits in the development of reciprocal social interaction, in the development of verbal and nonverbal communication skills, and in imaginative activity. Often there is a markedly restricted repertoire of activities and interests, which frequently are stereotyped and repetitive.
1. Autistic disorder, with medically documented findings of all of the following:
a. Qualitative deficits in reciprocal social interaction
b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity
c. Markedly restricted repertoire of activities and interests
2. Other pervasive developmental disorders, with medically documented findings of both of the following
a. Qualitative deficits in reciprocal social interaction
b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity
A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above.
Disorder
Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:
Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).

A. "B" Criteria of the Listings						
Indicate to what degree the folion 12.04, 12.06-12.08 and 12.10 a	nd paragrap	h D of 12	2.05) exist as a	a result of the	individual's m	ental disorder
the instructions for this Specify the listing(s) (i.e., 12.02	s section.		•			
opeony the hating(s) (i.e., 12.02	anough 12	. ro) unde	er writer the te	inis below a	o being rated	
FUNCTIONAL						,
LIMITATION		DE	GREE OF LIN	IITATION		
Restriction of Activities	None	Mild	Moderate	Marked*	Extreme*	Insufficier Evidence
of Daily Living						
Difficulties in Maintaining	None	Mild	Moderate	Marked*	Extreme*	Insufficier Evidence
Social Functioning						
Difficulties in Maintaining	None	Mild	Moderate	Marked*	Extreme*	Insufficien Evidence
Concentration, Persistence, or Pace						
			One or		Four* or	Insufficier
Episodes of Decompensation, Each of Extended Duration	None		Two	Three*	More	Evidence
	*Degree of limitation that satisfies the functional criterion.					

B. "C" Criteria of the Listings	
Complete this section if 12.02 (Organic Mental), 12.03 (Schizophre and the requirements in paragraph B of the appropriate listing are	
NOTE: Item 1 below is more than a measure of frequency and dura carefully the instructions for this section.	tion. See 12.00C4 and also read
Medically documented history of a chronic organic mental (12.02), (12.04) disorder of at least 2 years' duration that has caused more any basic work activity, with symptoms or signs currently attenuate and one of the following:	than a minimal limitation of ability to do
1. Repeated episodes of decompensation, each of extended d	uration
A residual disease process that has resulted in such margin- increase in mental demands or change in the environment v to decompensate	
3. Current history of 1 or more years' inability to function outside with an indication of continued need for such an arrangement	
Evidence does not establish the presence of the "C" criteria	
Insufficient evidence to establish the presence of the "C" criteria (e	explain in Part IV, Consultant's Notes).
	1914
Complete this section if 12.06 (Anxiety-Related) applies <u>and</u> the re 12.06 are not satisfied.	quirements in paragraph B of listing
Complete inability to function independently outside the area of on	e's home
Evidence does not establish the presence of the "C" criterion	
☐ Insufficient evidence to establish the presence of the "C" criterion	(explain in Part IV, Consultant's Notes).

(12)

IV.	CONSULTANT'S NOTES
	\cdot
	,

Section 223 and section 1633 of the Social Security Act authorize the information requested on this form. The information provided will be used in making a decision on this claim. Completion of this form is mandatory in disability claims involving mental impairments. Failure to complete this form may result in a delay in processing the claim. Information furnished on this form may be disclosed by the Social Security Administration to another person or governmental agency only with respect to Social Security programs and to comply with federal laws requiring the exchange of information between Social Security and another agency.

We may also use the information you give us when we match records by computer. Matching programs compare our records with those of other Federal, State, or local government agencies. Many agencies may use matching programs to find or prove that a person qualifies for benefits paid by the Federal government. The law allows us to do this even if you do not agree to it.

Explanations about these and other reasons why information about you may be used or given out are available in Social Security offices. If you want to learn more about this, contact any Social Security office.

Paperwork Reduction Act Statement - This information collection meets the requirements of 44 U. S.C. § 3507, as amended by Section 2 of the Paperwork Reduction Act of 1995. You do not need to answer these questions unless we display a valid Office of Management and Budget control number. We estimate that it will take about 15 minutes to read the instructions, gather the facts, and answer the questions. SEND OR BRING THE COMPLETED FORM TO YOUR LOCALSOCIALSECURITY OFFICE. To find the nearest office, call 1-800-772-1213. Send only comments on our time estimate above to: SSA, 6401 Security Boulevard, Baltimore, MD 21235-6401.