

Attachment 3b NPCR-CER Submission Data Items Diagnosis Year 2011

Record ID and Demographic Section—(Name and [Number])	Required Status 2011
Record Type [10]	Y
Patient ID Number [20] (unique)	Y
Registry ID [40]	Y
NAACCR Record Version [50]	Y
Address at Dx—State [80]	Y
County at Dx [90] ¹	Y^1
Address at Dx—Postal Code [100]	Y
Census Tract 2000 [130]	As available
Census Tract 2010 [135]	Y
Census Tr Certainty 2000 [365]	As available
GIS Coordinate Quality [366]	As available
Census Tr Certainty 2010 [367]	Y
Race 1 [160]	Y
Race 2 [161]	Y
Race 3 [162]	Y
Race 4 [163]	Y
Race 5 [164]	Y
Spanish/Hispanic Origin [190]	Y
NHIA Derived Hisp Origin [191] ²	Y^2
IHS Link [192] ³	Y^3
RaceNAPIIA [193] ²	Y^2
Sex [220]	Y
Age at Diagnosis [230]	Y
Date of Birth [240]	Y
Date of Birth Flag [241]	Y
Birthplace State [252]	Y
Birthplace Country [254]	Y
Census Occ Code 1970-2000 [270] ¹⁹	Y ¹⁹
Census Ind Code 2010 [280] ¹⁹	Y^{19}
Occupation Source [290]	As available
Industry Source [300]	As available
Census Occ/Ind Sys 70-00 [330]	Y

TextUsual Occupation [310] ¹⁹	Y ¹⁹
TextUsual Industry [320] ¹⁹	Y^{19}
Cancer Identification Section—(Name and [Number])	Required Status
	2011
Sequence Number—Central [380]	Y
Date of Diagnosis [390]	Y
Date of Diagnosis Flag [391]	Y
Date of 1st Contact [580]	Y
Date of 1st Contact Flag [581]	Y
Primary Site [400]	Y
Laterality [410]	Y
Grade [440]	Y
Grade Path Value [441]	As available
Grade Path System [449]	As available
Diagnostic Confirmation [490]	Y
Type of Reporting Source [500]	Y
Histologic Type ICD-O-3 [522]	Y
Behavior Code ICD-O-3 [523]	Y
Site Coding SysCurrent [450]	Y
Morph Coding SysCurrent [470]	Y
Primary Payer at DX [630]	As available
Treatment First Course Section—(Name and [Number])	Required Status 2011
Date Initial RX SEER [1260] ⁴	Y^4
Date Initial RX SEER Flag [1261] ⁴	Y^4
Date 1st Crs RX COC [1270] ⁴	Y^4
Date 1st Crs RX COC Flag [1271] ⁴	Y^4
RX Date Surgery [1200]	Y
RX Date Surgery Flag [1201]	Y
RX SummSurg Primary Site [1290]	Y
RX SummScope Reg LN Sur [1292]	Y
RX SummSurg Oth Reg/Dis [1294]	Y
Reason for No Surgery [1340]	Y
RX Date Radiation [1210]	Y
RX Date Radiation Flag [1211]	Y
RX SummRadiation [1360]	Y
RX SummSurg/Rad Seq [1380]	Y
Reason for No Radiation [1430]	Y
RX Date Chemo [1220]	Y
RX Date Chemo Flag [1221]	Y
	Y Y
RX Date Chemo Flag [1221]	
RX Date Chemo Flag [1221] RX SummChemo [1390]	Y

RX Date BRM [1240]	Y
RX Date BRM Flag [1241]	Y
RX SummBRM [1410]	Y
RX Date Other [1250]	Y
RX Date Other Flag [1251]	Y
Rx SummOther [1420]	Y
RadRegional Rx Modality [1570]	Y
RX SummSystemic/Sur Seq [1639]	Y
Rx SummTransplant/Endocr [3250]	Y
RX SummTreatment Status [1285]	Y
RX Coding System Current [1460] First Course Calc Method [1500]	Y
Chemo 1 NSC Number [9751] ¹⁵	Y ¹⁵
	Y ¹⁵
Chemo 2 NSC Number [9752] ¹⁵	_
Chemo 3 NSC Number [9753] ¹⁵	Y ¹⁵
Chemo 4 NSC Number [9754] ¹⁵	Y ¹⁵
Chemo 5 NSC Number [9755] ¹⁵	Y ¹⁵
Chemo 6 NSC Number [9756] ¹⁵	Y^{15}
Chemo 1 Num Doses Planned [9761] ¹⁵	Y^{15}
Chemo 2 Num Doses Planned [9762] ¹⁵	Y^{15}
Chemo3 Num Doses Planned [9763] ¹⁵	Y^{15}
Chemo 4 Num Doses Planned [9764] ¹⁵	Y^{15}
Chemo 5 Num Doses Planned [9765] ¹⁵	Y^{15}
Chemo 6 Num Doses Planned [9766] ¹⁵	Y^{15}
Chemo 1 Planned Dose [9771] ¹⁵	Y^{15}
Chemo 2 Planned Dose [9772] ¹⁵	Y^{15}
Chemo 3 Planned Dose [9773] ¹⁵	Y ¹⁵
Chemo 4 Planned Dose [9774] ¹⁵	Y ¹⁵
Chemo 5 Planned Dose [9775] ¹⁵	Y ¹⁵
Chemo 6 Planned Dose [9776] ¹⁵	Y ¹⁵
Chemo 1 Planned Dose Unit [9781] ¹⁵	Y ¹⁵
Chemo 2 Planned Dose Unit [9782] ¹⁵	Y ¹⁵
Chemo 3 Planned Dose Unit [9783] ¹⁵	Y ¹⁵
Chemo 4 Planned Dose Unit [9784] ¹⁵	Y ¹⁵
Chemo 5 Planned Dose Unit [9785] ¹⁵	Y ¹⁵
Chemo 6 Planned Dose Unit [9786] ¹⁵	Y ¹⁵
Chemo 1 Num Doses Receivd [9791] ¹⁵	Y ¹⁵
Chemo 2 Num Doses Receivd [9792] ¹⁵	Y ¹⁵
Chemo 3 Num Doses Receivd [9793] ¹⁵	Y^{15}

Chemo 4 Num Doses Receivd [9794] ¹⁵	Y ¹⁵
Chemo 5 Num Doses Receivd [9795] ¹⁵	Y ¹⁵
Chemo 6 Num Doses Receivd [9796] ¹⁵	Y ¹⁵
Chemo 1 Received Dose [9801] ¹⁵	Y ¹⁵
Chemo 2 Received Dose [9802] ¹⁵	Y ¹⁵
Chemo 3 Received Dose [9803] ¹⁵	Y^{15}
Chemo 4 Received Dose [9804] ¹⁵	Y ¹⁵
Chemo 5 Received Dose [9805] ¹⁵	Y ¹⁵
Chemo 6 Received Dose [9806] ¹⁵	Y^{15}
Chemo 1 Received DoseUnit [9811] ¹⁵	Y ¹⁵
Chemo 2 Received DoseUnit [9812] ¹⁵	Y ¹⁵
Chemo 3 Received DoseUnit [9813] ¹⁵	Y^{15}
Chemo 4 Received DoseUnit [9814] ¹⁵	Y ¹⁵
Chemo 5 Received DoseUnit [9815] ¹⁵	Y ¹⁵
Chemo 6 Received DoseUnit [9816] ¹⁵	Y^{15}
Chemo 1 Start Date [9821] ¹⁵	Y^{15}
Chemo 2 Start Date [9822] ¹⁵	Y ¹⁵
Chemo 3 Start Date [9823] ¹⁵	Y ¹⁵
Chemo 4 Start Date [9824] ¹⁵	Y ¹⁵
Chemo 5 Start Date [9825] ¹⁵	Y ¹⁵
Chemo 6 Start Date [9826] ¹⁵	Y^{15}
Chemo 1 Start Date Flag [9831] ¹⁵	Y ¹⁵
Chemo 2 Start Date Flag [9832] ¹⁵	Y ¹⁵
Chemo 3 Start Date Flag [9833] ¹⁵	Y^{15}
Chemo 4 Start Date Flag [9834] ¹⁵	Y ¹⁵
Chemo 5 Start Date Flag [9835] ¹⁵	Y^{15}
Chemo 6 Start Date Flag [9836] ¹⁵	Y^{15}
Chemo 1 End Date [9841] ¹⁵	Y^{15}
Chemo 2 End Date [9842] ¹⁵	Y^{15}
Chemo 3 End Date [9843] ¹⁵	Y^{15}
Chemo 4 End Date [9844] ¹⁵	Y ¹⁵
Chemo 5 End Date [9845] ¹⁵	Y ¹⁵
Chemo 6 End Date [9846] ¹⁵	Y ¹⁵
Chemo 1 End Date Flag [9851] ¹⁵	Y ¹⁵
Chemo 2 End Date Flag [9852] ¹⁵	Y ¹⁵
Chemo 3 End Date Flag [9853] ¹⁵	Y ¹⁵
Chemo 4 End Date Flag [9854] ¹⁵	Y ¹⁵

Y ¹⁵
Y ¹⁵
Required Status 2011
As available
As available
Y
Y
Y
Y
Y
Y
Y Y ^{5,6}
Y ^{6,7}
Y ⁶
Y ⁶
$Y^{6,8}$
Y^6
$Y^{6,9}$
Y^7
Y ¹⁰
$Y^{6,11}$
$Y^{6,12}$
Y ^{6,7}
Y ^{6,7}
Y ⁷
Y ^{6,7}
Y ^{6,7}
Y^6
Y^7

CS Site-Specific Factor 22 [2876] ⁷	Y^7
CS Site-Specific Factor 23 [2877] ⁷	Y^7
CS Site-Specific Factor 25 [2879] ⁶	Y^6
Lymph-Vascular Invasion [1182] ⁶	Y^6
CS Version Input Original [2935]	Y
CS Version Derived [2936]	Y
CS Version Input Current [2937]	Y
Derived SS2000 [3020]	Y
Derived SS2000Flag [3050]	Y
Derived AJCC-7 T [3400]	Y
Derived AJCC-7 T Descript [3402]	Y
Derived AJCC-7 N [3410]	Y
Derived AJCC-7 N Descript [3412]	Y
Derived AJCC-7 M [3420]	Y
Derived AJCC-7 M Descript [3422]	Y
Derived AJCC 7th Edition Stage Group [3430]	Y
TNM Clin T [940] ¹³	Y ¹³
TNM Clin N [950] ¹³	Y^{13}
TNM Clin M [960] ¹³	Y^{13}
TNM Clin Stage Group [970] ¹³	Y ¹³
TNM Clin Descriptor [980] ¹³	Y^{13}
TNM Edition Number [1060] ¹³	Y^{13}
Comorbid/Complication 1 [3110]	Y
Comorbid/Complication 2 [3120]	Y
Comorbid/Complication 3 [3130]	Y
Comorbid/Complication 4 [3140]	Y
Comorbid/Complication 5 [3150]	Y
Comorbid/Complication 6 [3160]	Y
Comorbid/Complication 7 [3161]	Y
Comorbid/Complication 8 [3162]	Y
Comorbid/Complication 9 [3163]	Y
Comorbid/Complication 10 [3164]	Y 21
Source Comorbidity [9970] ²¹	Y ²¹
Height [9960] ^{16, 21}	Y ^{16, 21}
Weight [9961] ^{16, 21}	Y ^{16, 21}
BCR-ABL Cytogenetic [9900] ¹⁷	Y ¹⁷
BCR-ABL Cytogenetic Date [9901] ¹⁷	Y ¹⁷
BCR-ABL Cytogen Date Flag [9902] ¹⁷	Y ¹⁷
BCR-ABL FISH [9903] ¹⁷	Y ¹⁷
BCR-ABL FISH Date [9904] ¹⁷	Y ¹⁷
BCR-ABL FISH Date Flag [9905] ¹⁷	Y ¹⁷

BCR-ABL RT-PCR Qual [9906] ¹⁷	Y ¹⁷
BCR-ABL RT-PCR Qual Date [9907] ¹⁷	Y ¹⁷
BCR-ABL RT-PCR Qual DtFlg [9908] ¹⁷	Y ¹⁷
BCR-ABL RT-PCR Quant [9909] ¹⁷	Y ¹⁷
BCR-ABL RT-PCR Quant Date [9910] ¹⁷	Y ¹⁷
BCR-ABL RT-PCR Quan DtFlg [9911] ¹⁷	Y ¹⁷
Tobacco Use Cigarettes [9965] ^{20, 21}	Y ^{20, 21}
Tobacco Use Other Smoke [9966] ^{20, 21}	$Y^{20, 21}$
Tobacco Use Smokeless [9967] ^{20, 21}	Y ^{20, 21}
Tobacco Use NOS [9968] ^{20, 21}	Y ^{20, 21}
Subsequent Treatment—(Name and [Number])	Required Status 2011
Reason Subsq RX [9920] ¹⁸	As available ¹⁸
Subsq RX 2nd Course Date [1660] ¹⁸	
Subsq RX 2nd DateFlag CER [9955] ¹⁸	
Subsq RX 2ndCrs Surg [9921] ¹⁸	
Subsq RX 2ndCrs Rad [9922] ¹⁸	
Subsq RX 2ndCrs Chemo [9923] ¹⁸	
Subsq RX 2ndCrs Horm [9924] ¹⁸	
Subsq RX 2ndCrs BRM [9925] ¹⁸	
Subsq RX 2ndCrs Oth [9926] ¹⁸	
Subsq RX 2ndCrs Trans/End [9927] ¹⁸	
Subsq RX 2nd Chemo 1 NSC [9931] ¹⁸	
Subsq RX 2nd Chemo 2 NSC [9932] ¹⁸	
Subsq RX 2nd Chemo 3 NSC [9933] ¹⁸	
Subsq RX 2nd Chemo 4 NSC [9934] ¹⁸	
Subsq RX 2nd Chemo 5 NSC [9935] ¹⁸	
Subsq RX 2nd Chemo 6 NSC [9936] ¹⁸	
Subsq RX 2nd Horm 1 NSC [9941] ¹⁸	
Subsq RX 2nd Horm 2 NSC [9942] ¹⁸	
Subsq RX 2nd BRM 1 NSC [9951] ¹⁸	
Subsq RX 2nd BRM 2 NSC [9952] ¹⁸	
Follow-Up/Recurrence/Death Section—(Name and [Number])	Required Status 2011
Date of Last Contact [1750]	Y
Date of Last Contact Flag [1751]	Y
Vital Status [1760]	Y
Follow-Up Source Central [1791] Cause of Death [1910]	Y
Cause of Death [1910]	1

ICD Revision Number [1920]	Y
Place of DeathState [1942]	Y
Place of DeathCountry [1944]	Y
Over-Rides/Conversion/System Admin. Section—(Name and [Number])	Required Status 2011
Over-Ride Age/Site/Morph [1990]	Y
Over-Ride SeqNo/DxConf [2000]	Y
Over-Ride Site/Lat/Sequence Number [2010]	Y
Over-Ride Surg/Dxconf [2020]	Y
Over-Ride Site/Type [2030]	Y
Over-Ride Histology [2040]	Y
Over-Ride Report Source [2050]	Y
Over-Ride Ill-define Site [2060]	Y
Over-Ride Leuk, Lymphoma [2070]	Y
Over-Ride Site/Behavior [2071]	Y
Over-Ride Site/Lat/Morph [2074]	Y
NPCR Site-Specific Factors	Required Status
	2011
EDP MDE Link Variable [9980] ¹⁴	Y^{14}
EDP MDE Link Date [9981] ¹⁴	Y^{14}
CER Over-Ride[9969] ²²	Y^{22}

NOTES:

The data item names and numbers are those used in NAACCR Volume II. Version 12.2.

Status key: Y = Yes

Attachment 2a-8 August 2011 NPCR-CSS 2012 Data Submission

¹ Code "999" for unknown and invalid. Do not include cases with code "998" in the submission file.

² Report the results from the combined NHIA/NAPIIA (NHAPIIA) SAS Program. See the Submission Specifications document and/or Atachment 1 for more details. Please note that code 9, unknown, is not a valid code for the NHIA data item.

³ Report the results of cases submitted for IHS linkage using codes 0 or 1. See the Submission Specifications document for further details.

⁴ Submit either the SEER or COC field.

⁵Required for Breast, Brain, CNS Other, Intracranial Gland, Hematopoietic, Reticulendothelial, Immunoproliferative, Myeloproliferative, Myelodysplastic Disease.

⁶Required as needed to derive AJCC 7th TNM Stage and Summary Stage 2000 for all sites/histologies.

⁷Required for Breast.

⁸Required for Rectum.

⁹Required for Colon, Rectum, Appendix.

¹⁰Required for Breast, Colon, Rectum.

¹¹Required for Breast, Colon, Rectum, Appendix.

¹²Required for Breast, Appendix, GIST Appendix, GIST Colon, GIST Rectum.

- ²⁰As clarified in July 2011 in the data dictionary: For all sites/histologies, "blanks" are not permitted and code "9" should be used to reflect unknown tobacco use. The CDC will use the volume of cases coded to "9" to help determine the availability of information related to tobacco use in the medical record.
- ²¹Report the permanently-assigned data items for 2011 forward in the designated columns. Height 1315-1316, Weight 1317-1319, Tobacco Use Cigarettes 1320-1320, Tobacco Use Other Smoke 1321-1321, Tobacco Use Smokeless 1322-1322, Tobacco Use NOS 1323-1323, Source Comorbidity 1324-1324.
- ²²Set CER Over-Ride [column 1325] to "1" **only** when the 2011 diagnosis year case was received after the close of the CER data collection period. Otherwise, this column is to be blank.

¹³ Required for reportable breast and rectum cases diagnosed 2011.

¹⁴For linkage results of reportable breast, cervical, and colorectal cancer cases. Report the EDP MDE Link Variable in column 1306 and the EDP MDE Link Date in columns 1307-1314 as instructed in the November 2013 NPCR-CER Submission Specifications.

¹⁵Required for Breast, Colorectal, CML.

¹⁶Required for Breast, Colorectal, CML if chemotherapy and/or other drugs received. As available for all other sites/histologies.

¹⁷Required for CML.

¹⁸As available for Breast, Colorectal, CML.

¹⁹For Occupation and Industry variables, either the coded fields OR the text fields are required for CER submission from all states.

remove for 2015